

2022
2023

NEW!
CLICK ON PART
NUMBERS AND ORDER
PARTS DIRECTLY TO
YOUR LOCAL
DEALERSHIP.

PARTS CATALOGUE

RIPON
farm services

Your farming family
DELIVERING INNOVATION SINCE 1982

Prices valid until 26 February 2023.
All prices exclude VAT. Available from participating John Deere dealers only. Prices apply under reservation of any increases due to currency fluctuations or unforeseeable price increases.
Prices on partscatalog.deere.com can differ.



JOHN DEERE

NOTHING RUNS LIKE A DEERE

CLICK & COLLECT



FINDING PARTS MADE EASY














Did you know that you can order all the parts you need from your dealer online? All models, any year, always the exact right part for your John Deere – ordering your parts has never been easier. Visit our online parts catalogue, enter your machine's model/name or serial number, and browse all available parts. Then select and reserve them with one click and collect them at your dealer in a single visit. Wouldn't it be great if all of life was this simple?

PARTSCATALOG.DEERE.COM

LEAP AHEAD

PARTS, TOOLS, AND TIPS TO HELP YOU GROW

CONTENTS

	Intro	4
	Remanufactured Parts and Components	7
	Tractor Parts and Attachments	9
	Digital Products	28
	Combine Parts and Attachments	31
	SPFH Parts and Attachments	45
	Baler Parts and Attachments	53
	Mower Conditioner Parts and Attachments	56
	Seeder & Planter Parts and Attachments	57
	Sprayer Parts and Attachments	58
	Gator™ Parts and Attachments	61
	Accessories and Brackets	65
	Maintenance Parts	74



JOHN DEERE LIFECYCLE SOLUTIONS

No matter what happens, when it happens, or how old or new your machine is – we're here for you, with forward-thinking solutions that make sure nothing stands in the way of your productivity and profitability.





PREVENT

Premium components and scheduled routine maintenance.

By preventive maintenance, we mean everything that prevents machine downtime: The wide range of high-quality John Deere Original Parts in this catalogue, PowerGard™ to control your cost of operation with fixed-price maintenance, Expert Checks for maximum uptime, and tailored FarmSight™ Services to enhance performance.

PREDICT

Identifying potential issues and replacing parts before they fail.

Predictive maintenance encompasses everything that helps you, your dealer, and John Deere recognise potential machine failures before they occur: Like Expert Alerts to prevent downtime and Performance Expert Alerts to make sure you get the most out of your machine.

CORRECT

Fixing issues as quickly as possible.

When we talk about corrective maintenance, we mean everything that helps you solve issues faster: Backup machines* to keep you moving, connected support & remote diagnostics to fix problems quickly, 24 hour parts availability, plus unmatched service & in-field support.

UPGRADE

Installing performance & comfort upgrades.

Upgrades are everything that enhances the performance of your machine after it has left our factory: That includes the huge variety of retrofit attachments and accessories in this catalogue - browse on to see what you can do to help your business leap ahead.

* Only for participating dealers. May require an additional FarmSight™ Service contract.



CERTIFIED QUALITY

Alternatives by John Deere are your best parts choice for machines that do not experience the high-intensity use of your primary equipment. All parts from this competitively priced product line go through a John Deere certification process that ensures they will always fit better than parts from other manufacturers.



CERTIFIED BY JOHN DEERE

A perfect fit guaranteed – our Alternatives by John Deere products pass a strict John Deere certification process. No other parts will fit your machine that well.

RELIABLE

It's like this: We built your machine. We know what it needs. So we made parts for it that fit and last. Alternatives by John Deere deliver the performance you expect from the John Deere brand.



BEST CHOICE

Some of your machines don't get the high-intensity use that you'll put your primary equipment through. Our Alternatives by John Deere parts are perfect for these machines.

CONVENIENT

More good news: It's fast and easy to obtain the right Alternatives by John Deere part. Your John Deere dealer has it available, along with the expert advice you need to get your repairs done and get back to work quickly.



GOOD SELECTION

There's an Alternatives by John Deere product for the most important parts you might need – readily available at a price that's easy on your budget.

AFFORDABLE

The best part: Alternatives by John Deere are a value-priced option that's ideal when you need to focus on the work at hand rather than the years to come.



REMANUFACTURED PARTS AND COMPONENTS

PREMIUM REPAIR SOLUTIONS AT AN AFFORDABLE PRICE

JOHN DEERE AND REMANUFACTURING

John Deere has been remanufacturing parts and components for more than 20 years. During the remanufacturing process, failed and worn parts are replaced with original parts, and then inspected and tested to original performance specifications. It's an environmentally friendly repair alternative for increased uptime and performance, while lowering operational costs.

OUR PROMISE – YOUR ADVANTAGE

- John Deere quality
- Uptime – gets machines back to work faster
- Reduced cost of operation
- Reman parts have a one year unlimited warranty
- Reman Complete and Basic Engines have a two year or 2,000 hours (unlimited hours in 1st year) warranty
- Component exchange vs. component repair = lower costs and less machine downtime for you




**“THE QUALITY I’M
USED TO AT A GREAT
PRICE – THAT’S
JOHN DEERE REMAN!”**

THAT’S THE REASON WHY A REMAN OPTION IS HARD TO BEAT!

When you buy a John Deere Reman component, you are buying uptime.

TOP QUALITY WITH A WARRANTY

Your equipment is the backbone of your business, and when you have a job to do, you need to be able to count on your machines to get it done. When it’s time to replace major components in your machines, you need high-quality repair solutions and minimised downtime, at an affordable price. John Deere Reman components hit the mark on all of those requirements, and they’re backed by a comprehensive John Deere Reman warranty, so you’re covered in the event something goes wrong.



Shown here is just a sample of the complete John Deere Reman offering. Ask us what Reman components are available for your machine.



↑ | UPGRADE

TRACTOR PARTS AND ATTACHMENTS

Owning a John Deere tractor is an investment into opportunity – the foundation for creating an ever improving farming operation.

With your tractor, you acquired a complete lifecycle solution built with premium components on a minimally invasive maintenance schedule, predictive machine health services, superior parts availability, and continuous performance and comfort upgrade options.

Find out, what's possible! Unlock the full potential of your tractor. Discover and retrofit your machine with features and options you may not have been familiar with.



ORIGINAL SEATS: BE KIND TO YOUR BACK

SEATS FOR 6R FT4 SERIES TRACTORS

- When your seat is in good shape, it helps preserve your back by reducing shocks and vibrations. The added comfort you experience results in more alertness and higher efficiency.
- To maintain its functionality, it's best to replace your seat after approximately 5,000 hours of use.
- Original John Deere seats blend functionality, design and safety to give you the comfort and protection you need.



BL16349, BL16348



Find the seat that fits your tractor!



	ULTIMATE	PREMIUM	STANDARD
SUSPENSION			
Dynamic damping system	■	–	–
Heavy duty suspension	■	■*	–
Low frequency suspension	■	■	■
Lateral suspension	■	■	■
Comfort module	■	■	■
Passive air suspension	■	■	■
Fore-and-after suspension	■	■	■
CLIMATE SYSTEM			
	Active climate system Ventilation & seat heating	Passive climate system Seat heating	–
WEIGHT ADJUSTMENT			
	Fully automatic	Automatic	Manual
LUMBAR SUPPORT			
	Pneumatic	Pneumatic	Mechanical
FEATURES			
Operator presence switch	■	■	■
Swivel	■	■	■
Backrest extension	■	■	–
SETTINGS			
Adjustable seat cushion (inclination & length)	■	■	–
Adjustable armrest	w/o tool	w/o tool	w/ tool
w/ CommandARM™, w/ CommandPRO™	BL15956 £4,043.14	BL16352 £2,156.34	–
w/ CommandARM™, w/ CommandPRO™	BL16349 (leather) £4,717.00	–	–
w/ CommandARM™, w/o CommandPRO™	BL15955 £4,043.14	BL16351 £2,156.34	–
w/ CommandARM™, w/o CommandPRO™	BL16348 (leather) £4,717.00	–	–
w/ CommandARM™ IT4	–	BL15747 £1,725.07	–
w/o CommandARM™	–	BL16350 £2,156.34	BL16171 £1,010.79

Legend: ■ included – excluded

* not for BL15747

SEATS FOR 7, 8, 9 SERIES TRACTORS

- There's nothing like that comfortable and healthy brand-new-seat feeling. Thanks to our broad seat replacement portfolio, you can get it back, just the way you like it and with a perfect fit for your tractor – in leather or fabric, with or without CommandARM™, and also for current models. Talk to your dealer about your choices.



TY16163



RE183943



RE195850



RE267624



RE289300

	AIR-SUSPENDED SEAT	ACTIVE SEAT
SUSPENSION		
Dynamic damping system	–	■
Heavy duty suspension	■	■
Low frequency suspension	■	■
Lateral suspension	■	■
Comfort module	■	■
Passive air suspension	■	–
Fore-and-after suspension	■	■
CLIMATE SYSTEM		
	Heating on leather version	Heating on leather version
WEIGHT ADJUSTMENT		
	■	■
LUMBAR SUPPORT		
	Mechanical	Mechanical
FEATURES		
Operator presence switch	■	■
Swivel	■	■
SETTINGS		
Adjustable Armrest	w/o tool	w/o tool
7000, 7010	TY16163 (fabric) £2,705.77	–
7020, 7030	RE195850 (fabric) £2,601.65 RE267624 (fabric) £3,130.01 RE289301 (leather) £4,524.32 RE183943 (fabric for CommandARM™) £2,953.26	RE267627 (fabric) £4,584.85 RE289302 (leather) £5,834.71 RE587158 (fabric for CommandARM™) 7020, for 7030 < SN 021946 £5,457.41 RE264913 (fabric for CommandARM™) only for 7030 £4,867.37 RE289300 (leather for CommandARM™) only for 7030 > SN 021947 £6,650.21
8010		–
8020		RE587160 (fabric) £5,642.33 RE587158 (fabric) £5,457.41
8030	RE183943 (fabric) incl. T £2,953.26 RE183942 (fabric) incl. T £3,374.03	RE264912 (fabric) £5,364.29 RE264913 (fabric) £4,867.37 RE289300 (leather) £6,650.21
9000 (SN > 30001)		–
9020, 9030		RE587160 (fabric) £5,642.33 RE587158 (fabric) £5,457.41

Legend: ■ included – excluded



ORIGINAL JOHN DEERE LED WORK LIGHTS

Not just brighter, but also better for you: Reduce eyestrain with the white, high-contrast, daylight-quality light of our LEDs.



DIRECT-REPLACEMENT LED LIGHTS

- These lights are perfect replacements for existing halogen lights on your tractor. Just swap them out and enjoy far better visibility and driving comfort.



MOUNTING POSITION	2,100 EFF. LUMENS	1,600 EFF. LUMENS	1,600 EFF. LUMENS	1,600 EFF. LUMENS	720 EFF. LUMENS
	FLOOD	FLOOD	FLOOD	FLOOD	FLOOD
Rear cab roof	6020, 6030, 6030 Premium, 6MC, 6RC	6R (side)	7R, 8R(T), 9R(T)	5R Stage IIIB (side & outer), 5M Stage IIIB, 6R	–
Front cab roof	6020, 6030, 6030 Premium, 6MC, 6RC	6R (side)	5R Stage IIIB, 7R, 8R(T), 9R(T)	5M Stage IIIB, 6R	6000, 6010, 7000, 7010, 8000, 8010
Beltline	6020, 6030, 6030 Premium	–	–	6R, 7R, 8R	–
Rear fender	6020, 6030, 6030 Premium	–	–	6R, 7R, 8R(T), 9R(T)	–
	RE575338	AL225025	RE331642	RE573609	MCXFA1953
	£199.05	£202.99	£180.97	£188.37	£44.78



MOUNTING POSITION	2,200 EFF. LUMENS	2,000 EFF. LUMENS	700 EFF. LUMENS	700 EFF. LUMENS	700 EFF. LUMENS
	FLOOD	FLOOD	TRAPEZOID	TRAPEZOID	TRAPEZOID
Rear cab roof	7020, 8020, 8030, 9020, 9030	5R Stage IIIB (inner)	–	7000, 7010	8000(T), 8010(T)
Front cab roof	7020, 8020, 8030, 9020, 9030	5R Stage IIIB (inner), 6R Panorama roof (side)	–	–	–
Beltline	7020, 7030, 8020, 8030	–	8000(T), 8010(T)	7000, 7010	8010
Rear fender	7020, 8020, 8030, 9020, 9030	–	7000, 7010, 8000(T), 8010(T)	–	–
	RE574752	AL219331	RE330060	RE330061	RE330062
	£301.45	£199.05	£209.39	£209.39	£209.39

CATEGORY 4 CAB FILTRATION SYSTEM

- Upgrade the cab of your 6R tractor or R40 & R41 Series and 40i & 50i sprayer with a Category 4 filtration system to make it the safest place for spraying!

ADVANTAGES OF UPGRADING TO A CATEGORY 4 CAB

- Unprecedented protection against hazardous substances
- Driver is allowed to work without protective clothing (according to European standard EN 15695)
- Higher level of comfort for the driver
- Perfect solution for tractors used for spraying
- Only Category 4 cabs offer adequate protection against vapour pollutants
- Highest protection class for cabs

FEATURES

- Fresh air rate > 30 m³/h (max. 120 m³/h)
- > 20 pa overpressure w/ pressure loss gauge
- > 98% filter efficiency with aerosols and vapours

BKK11579 – 5430i, R40 series with 40i & 50i sprayers
BWZ10089 – R41 series with 40i & 50i sprayers
BL16516 – 6R tractors

NEW

for 6R tractors



EXPERT TIP


UPGRADE YOUR AIR

Your air is filtered through a 3-in-1 filter element with active carbon (dust, aerosols and vapours) and overpressures the cab so that contaminants cannot enter.

CARBON FILTER PLUS

- Get rid of more than 95% of pollutants and allergens that contaminate the air in your cab when you're mowing, baling, or threshing.

TY27778 – 6R Fresh Air Filter
TY27779 – 6R, 6M, 6030 Recirculation Air Filter



THREE LAYERS OF PROTECTION

- Particle filter layer
- Activated carbon layer
- Biofunctional layer




3-POINT-HITCH

Restore or upgrade the functionality of your 3-point hitch – here's a selection of options, but there's much more available at your local dealership!

HYDRAULIC CENTER LINK – HOOK TYPE

- Upgrade your center link to facilitate hitching and implement setup.



DESCRIPTION	SERIES	PART NUMBER	PRICE £
Cat.3	6130-6630 (Pr.)	AL175550	782.31
Cat.3	6830-7530 (Pr.)	AL174551	1,110.45
Cat.3	6170R-6210R Stage IIIB , 6170M-6190M Stage IIIB	BL15090	1,096.20
Cat.3	6110R-6130R Stage IV	AL220203	784.02
Cat.3	6175R-6215R Stage IV	AL219002	1,635.98
Cat.3	6230R-6250R Stage IV	BL15591	1,023.27
Cat.3	7030 series	RE259739	1,367.70
Cat.3	7R, 8R, 8RT, 8RX	RE595824	1,732.02
Cat.4	8R, 8RX	RE595826	2,929.12

3-POINT-HITCH GREASEABLE PINS

- Grease hitch pins to push out dust, eliminate squeaks and achieve outstanding service life.
- Grease regularly, at the shortest maintenance interval needed for other grease points.
- John Deere greaseable hitch pins are available for up to six locations on your rear hitch.

SERIES	PART NUMBER	PRICE £
7R, 8020(T), 8030(T), 8R(T/X)	BRE10500	119.50
9R single reduction and 9RT	BRE10331	247.32
9R double reduction and 9RX	BRE10332	238.33

Prices are for a set of two pins and two balls.



BRE10332



BRE10500

STABILIZER BARS

- Choices range from the simplicity of the mechanical option to the convenience of hydraulic bars.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Stabilizer bar, adjustable	5020, 5R Stage IIIA	AL180109	300.90
Stabilizer bar, adjustable	5M	RE242457	168.55
Yoke	6010 & SE, 6020 & SE, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	L175355	35.66
Link body	6010 & SE, 6020 & SE, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL201044	63.18
Link end	6010 & SE, 6020 & SE, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL201045	66.89
Stabilizer bar, standard	7020, 7030	RE199501	317.86
Hydraulic stabilizer bar	6170R to 6210R	BL15032	2,072.06
Hydraulic stabilizer bar	6175R to 6215R	BL15590	2,062.37
Hydraulic stabilizer bar	6230R to 6250R	BL15796	2,447.45



L175355 | AL201044 | AL201045



RE199501

QUICK HITCH BALLS – FOR CENTRE LINK USE

- Quick hitch balls and their conversion bushings.

DESCRIPTION	PART NUMBER	PRICE £
Category 2	MCXFA1386	3.47
Category 3-2	MCXFA1388	5.96
Category 3	MCXFA1387	5.54
Category 4 HD	R554492	110.13





MCXFA1384



MCXFA1340

QUICK HITCH BALLS – FOR DRAFT LINK USE

DESCRIPTION	APPLICATION	PART NUMBER	PRICE £
Category 2	Ball diameter 56 mm	MCXFA1385	3.63
Category 3-2	Ball diameter 64 mm	MCXFA1383	4.74
Category 3	Ball diameter 64 mm	MCXFA1384	5.28
Category 4-3	Ball diameter 85 mm	MCXFA1334	17.40
Category 4	Ball diameter 85 mm	MCXFA1335	15.39
WITH CONE			
Category 2	Ball diameter 56 mm	MCXFA1340	9.40
Category 3-2	Ball diameter 64 mm	MCXFA1341	10.77
Category 3	Ball diameter 64 mm	MCXFA1339	14.33



EXPERT TIP

COLLAR BALLS CATEGORY 3

The 10 mm collar on each side prevents excessive wear at draft link hook ends and the mounting points of implements.

L217361
£17.39

MISCELLEANOUS



AL117720

DRAFT LINKS – PAWL FOR HOOK ENDS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Category 2	5020, 5M, 5R Stage IIIA	R222164	62.57
Category 2	6 series tractors	AL117720	47.69
Category 3 N, 3, 4N	6-8 series tractors	AL117727	60.56

HOLDER FOR QUICK HITCH BALLS



AL180047

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Holder – quick hitch balls, Cat. 2	6030, 6030 Premium	AL179161	104.14
Holder – quick hitch balls, Cat. 3	6030, 6030 Premium, 7030 Premium, 6MC, 6RC, 6M, 6R	AL180047	90.68



CERTIFIED QUALITY

YOU DECIDE

Alternatives by John Deere are your best parts choice for machines that do not experience the high-intensity use of your primary equipment. The parts are attractively priced and go through a John Deere certification process that ensures they will always fit better than parts from other manufacturers.



ALTERNATIVES
BY JOHN DEERE



HITCH SOLUTIONS

TRAILER HITCHES – HEIGHT-ADJUSTABLE

- Choose from a wide variety of manually and automatically operated hitches.

DESCRIPTION	APPLICATION	PART NUMBER	PRICE £
MANUAL WAGON HITCH			
Cylindrical pin, 30 mm	tractors with 330 mm inner rail width	AL222036	652.09
Cylindrical pin, 30 mm	tractors with 390 mm inner rail width	AL222029	739.02
Hitch pin for manual hitches	for use with AL222036, AL222029	AL160394	76.05
AUTOMATIC WAGON HITCH			
Cylindrical pin, 30 mm	tractors with 330 mm inner rail width	AL222035	874.47
Cylindrical pin, 30 mm	tractors with 390 mm inner rail width	BL15936	873.56
Ball pin, 38 mm	tractors with 330 mm inner rail width	AL222034	753.48
Ball pin, 38 mm	tractors with 390 mm inner rail width	AL222028	940.69



Manual wagon hitch, cylindrical pin – AL222029



Automatic wagon hitch, ball pin – AL222028



Hitch pin for manual hitches – AL160394

TRAILER HITCHES – HEIGHT-ADJUSTABLE – BALL-TYPE AND PITON-FIX

- Sturdy, height-adjustable hitches for trailer and many other implement operations.

DESCRIPTION	APPLICATION	PART NUMBER	PRICE £
Piton-Fix hitch	tractors with 330 mm inner rail width	BL15959	907.10
Piton-Fix hitch	tractors with 390 mm inner rail width	BL15957	883.02
Ball-type hitch, K80	tractors with 330 mm inner rail width	BL15960	940.86
Ball-type hitch, K80	tractors with 390 mm inner rail width	BL16502	1,143.99
Ball-type hitch, K50	tractors with 330 mm inner rail width	BL15507	569.91



Piton-Fix hitch – BL15957



Piton-Fix hitch – BL15957



Ball-type hitch, K80 – BL15960



Ball-type hitch, K80 – BL16502




Ball-type hitch, K50 – BL15507


TRAILER HITCHES – INSERTS FOR 3-IN-1 HITCH RAILS

- Low position hitches for better traction and easier drive-off. Max static vertical load ball-type 4 t, piton fix 3 t.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Piton-Fix hitch insert	6020, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL222367	726.84
Ball-type hitch insert, K80	6020, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL225421	824.24



Piton-Fix insert – AL222367




Ball-type insert – AL225421

FORCED STEERING SYSTEMS FOR BALL-TYPE HITCHES

- For improved safety and reliability with forced steering trailers or tankers, make sure you have the original coupling tie rods fitted to your tractor.

FOR HITCH	BOTH SIDES	RIGHT HAND SIDE	LEFT HAND SIDE
AL225421	BL16152 £480.54	BL16153 £419.57	BL16154 £439.20
BL15960	AL176727 £607.54	AL176728 £443.33	AL205398 £433.37
BL16502	BL16509 £786.57	–	–



BL16152




AL176727



BL16509



BL16153



AL176728



AL205398



BL16154

EXTENDED K80 BALL-TYPE HITCH FOR 6230R AND 6250R

- Tighter turns thanks to the further backwards positioned rear implement coupling point
- Integrated K50 forced steering on both sides
- Vertical payload of 4 tons
- Easy removal: Parts connected with pins in hitch rail
- 8-position rail AL229369 is required to mount the extended K80 ball-type hitch



AL226687
£2,190.57



The rear implement coupling point of the extended K80 ball-type hitch is positioned further towards the back.



BALLASTING

- For optimal stability and steering in the field and during transport, maintaining sufficient weight on the axles is vital. Flexible and job-based ballasting of your machine optimises your fuel consumption, brings the power to the ground or enables higher payloads. John Deere offers a wide range of ballasting solutions up to 55 kg/hp. Below are some popular choices, but you can get a lot more from your dealer!



PICK-UP WEIGHTS

DESCRIPTION	PART NUMBER	PRICE £
900 kg – Pick-up weight (for tractors with MFWD only)	BL15083	3,533.08
1,150 kg – Pick-up weight (for tractors with MFWD only)	BL15084	4,230.11
1,500 kg – Pick-up weight (for tractors with MFWD only)	BL15020	6,012.29
1,800 kg – Pick-up weight (for tractors with MFWD only)	AL204830	7,221.89

POPULAR WHEEL WEIGHTS – 100 KG / 250 KG



DESCRIPTION	SERIES	PART NUMBER	PRICE £
ADAPTER SET (2 X 50 KG) FOR 100 KG AND 250 KG – STARTER WEIGHT			
275 mm bolt circle diameter, for two-position steel wheels, outside mounting	6130M-6170M Stage IIIB, 6135M-6195M Stage IV + MY18, 6125R-6150R Stage IIIB, 6130R-6155R Stage IV + MY18	BL16233	883.02
335 mm bolt circle diameter, for two-position steel wheels, outside mounting	6170R-6210R Stage IIIB, 6175R-6250R Stage IV + MY18	BL15894	591.33
QUICK MOUNT WEIGHT SET – BL16233 OR BL15894 ALREADY INSTALLED			
200 kg (2 x 100 kg)	6M, 6R	BL16249	1,086.41
500 kg (2 x 250 kg)	6M, 6R	BL16250	2,441.84
REAR WHEEL WEIGHTS			
Set, 554 kg (2 x 72 kg, 2 x 205 kg) – starter weight	6150R-6210R Stage IIIB, 6175R-6215R Stage IV + MY18, 6140M-6170M Stage IIIB, 7210R-7310R, 8245R-8370R Stage IV, 9R	BL15071	2,809.06
Set, 410 kg (2 x 205 kg) – BL15071 already installed	6150R-6210R Stage IIIB, 6175R-6215R Stage IV + MY18, 6140M-6170M Stage IIIB, 7210R-7310R, 8245R-8370R Stage IV, 9R	BL15076	2,133.00
Set, 77 kg (2 x 38.5 kg) – starter weight	5020, 5M Stage II, 5M (Cab) Stage IIIA, 5R Stage IIIA, 6 Series	AL119955	348.95
Set, 77 kg (2 x 38.5 kg) – AL119955 already installed	5020, 5M Stage II, 5M (Cab) Stage IIIA, 5R Stage IIIA, 6 Series	AR56632	353.77
Set, 110 kg (2 x 55 kg) – starter weight	3130, 940-4440, 1350-3650, 5020, 5M Stage IIIA, 5M Stage IIIB, 5R Stage IIIA, 5075M Stage IV, 6 Series	AR56636	434.74
Set, 110 kg (2 x 55 kg) – AR56636 already installed	3130, 940-4440, 1350-3650, 5020, 5M Stage IIIA, 5M Stage IIIB, 5R Stage IIIA, 5075M Stage IV, 6 Series	AL119956	468.89



EXPERT TIP

EZ BALLAST

Enhance the versatility of your 7R Series tractor (MY11 and younger) by adding or removing the 1.7 t belly weight in seconds, at the touch of a button, by simply driving over the weight for pick-up or release - no need to leave the cab.




EXPERT TIP
TOP SECURITY

You can now protect your StarFire™ receiver and John Deere Universal display with the new John Deere PIN code system!



VANDAL PROTECTION

LOCKABLE DEVICES

- Lockable devices protect your machines against theft and vandalism.

SERIES	PART NUMBER	PRICE £
LOCKABLE DOOR HANDLES		
Most 5-9 Series tractors, 6R FT4 (-1L06130RKG866074)	AL71345	121.85
6R FT4 (-1L06130RKG866074)	BL15804	124.29
7R MY20-, 8R(T)/8RX MY20-	R569171	82.04
LOCKABLE FUEL TANK CAP GREEN		
5E, 5M, 5R, 6 Series tractors with Stage IIIB or Stage IV	AL213203	40.69
LOCKABLE FUEL TANK CAP BLACK		
Most 5 and 6 Series tractors before Stage IIIB	AL113087	31.73
5E, 5M, 6 Series tractors with Stage IIIB	AL212916	40.69
5G	ER067876	39.99
5GV, 5GF	ER067943	38.02
7000, 7010	RE306511*	90.89
7020, 8000 (T), 8010 (T), 8020 (SN -027621), 9000	RE295434*	104.77
7030, 8020 (SN 027622-), 8020T, 8030 (T), 8R, 9020 (T), 9030	RE255763*	67.23
8R (T)	AT346094*	90.23
LOCKABLE DEF TANK CAP – BLUE		
6M from Stage IV, 6R Stage IV	AL211572	56.06
LOCKABLE HOOD LATCH		
6110R-6130R MY18-20, 6110M-6130M MY18-19, 6125-6140M MY20-	BL16363	135.41
6135R-6250R MY18-20, 6135M-6195M MY18-19, 6145M-6195M MY20-	BL16365	138.51
LOCKABLE DEVICE FOR STARFIRE™ 6000 RECEIVER		
for all Series	BPF11074	57.61

* Lock is not included in the kit.



Watch this video to see how vandal protection works



AL211572



AL71345



AL213203



BPF11074



HOT WEATHER CAB UPGRADES

REFRIGERATORS

- Keep drinks and food cool and easily accessible even on the warmest of days.



RE593672



BL15028

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Refrigerator w/o field office	6R -MY2020	BL15028	592.05
Refrigerator w/ field office	6R -MY2020	BL15029	840.38
Fridge and cooling compartment	6M MY2020+	BL16124	592.05
Refrigerator	6030 Premium	AL174263	592.05
Refrigerator	7R MY2020+, 8R/8RT/8RX MY2020+	RE593672	662.26

SUN SHADES

- Our sunshades are perfectly integrated into the cab to block bright sunlight, reduce glare, and help you keep the cab cooler on hot days.



BRE10472, RE562587

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Front or rear window	6000, 6010	AL175264	100.01
Front or rear window	6020, 6030 (Pr.), 7030 Pr.	AL174359	122.50
Front or rear window	6M (-MY2019)	BL15198	169.75
Front, rear or side window	6M (MY2020+)	BL16112	169.75
Front, rear or side window	6R	AL205893	167.38
Left hand sun shade – Bracket	7R -MY19, 8R(T) -MY19, 9RT MY14-19	BRE10472	93.22
Large left hand sun shade*	7R -MY19, 8R(T) -MY19, 9RT MY14-19	RE562587	182.37
Small left hand sun shade*	7R -MY19, 8R(T) -MY19, 9RT MY14-19	RE261504	126.83
Front window	7R, 8R, 9R	RE261504	126.83
Front window	7000-7030, 8000(T)-8030(T), 9030	RE197943	171.11
Rear window	7000-7030, 8000(T)-8030(T), 9030	RE197944	209.05
Rear or side window	7R -MY19, 8R -MY19, 9R	RE562587	182.37
Rear or right-hand window	7R MY20-, 8R(T)/8RX MY20-	RE593670	131.18

* For bracket BRE10472.

RADIO 6M

- Explore our new range of radios for 6M Series tractors. Enjoy the crystal-clear sound of DAB+ from a wide range of radio stations, Bluetooth or USB connections for external devices that allow you to listen to your favourite audio streaming playlists or podcasts or use the external microphone for hands-free phone calls.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
DAB+ Radio	6M (MY2020-) with radio preparation	BL16775	592.99
AM/FM Radio	6M (MY2020-) with radio preparation	BL16774	445.00



Please find universal radio options under accessories.



BL16775




BL16774

FOOT RESTS

- Get the new foot rests now, swivel your top-comfort seat, switch on your AutoTrac™, stretch out your legs, and enjoy more cab comfort.
- This is a straightforward, direct-fit, bolt-in-place solution built to withstand 180 kgs of force applied to the pegs.

SERIES	PART NUMBER	PRICE £
7R, 8R(T/X) MY20+	BRE10458	190.59
7R, 8R(T), 9R(T/X) IT4/FT4, R4030 to R4060 sprayers, F4365 nutrient applicator	BRE10471	298.19



BRE10458

FLOOR MATS

- Check out our perfect-fit, noise-reducing black rubber or beige carpet floor mats.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Rubber	6R	MCTJHD5561C	78.48
Carpet	6R	MCTJHD5561	52.41
Rubber	6000-6030 Pr., 6M (-MY2020)	MCTJHD6000C	78.49
Carpet	6000-6030 Pr., 6M (-MY2020)	MCTJHD6000	52.41



LEATHER STEERING WHEEL

SERIES	PART NUMBER	PRICE £
5R, 7R, 8R, 9R(X)	RE275283	221.82
5M, 6 Series, 7R, 8R(T), 9R(T)	RE282643	219.79
7020, 7030, 8020(T), 8030(T), 9020(T), 9030(T)	RE224090	211.73
7R (MY20-), 8R(T)/8RX (MY20-)	RE584990	297.63





MIRRORS

WIDE ANGLE MIRROR

- Stay safe and prevent road accidents that happen because of blind spots.
- Install wide-angle mirrors to broaden your field of vision even with large implements.
- Upgrade your mirrors with our wide-angle solutions and work more safely and productively.



DESCRIPTION	SERIES	PART NUMBER	PRICE £
Electrically adjustable, heatable, both sides	6020, 6030 Premium	BL15904	1,238.03
Electrically adjustable, heatable, both sides	6R	BL16675	1,213.76
Electrically adjustable, heatable, both sides	7R MY14-19, 8R MY14-19, 9R, 9RX	BRE10470	1,193.46
Electrically adjustable, manually telescopic, heatable, both sides	6R	BL16676	703.32
Manually adjustable, both sides	6R	BL16677	356.39
Manually adjustable, left hand	Most 6 Series	BL16110	223.80
Manually adjustable, right hand	Most 6 Series	BL16111	223.80
Manually adjustable, both sides	6020 Premium, 6030 Premium, 6M	BL16490	223.80
Manually adjustable, both sides	5M, 5R	BSJ10473	342.83

HITCH VIEW MIRRORS

- Hook and unhook your trailer quickly, safely and efficiently.



SERIES	PART NUMBER	PRICE £
5020, 5E, 5M, 5R, 6MC, 6RC	SJ10016	76.26
6010, 6020, 6030, 6030 Premium, 7030 Premium, 6M	AL151224	94.92
6R	BL15087	102.04





Fixed mounting bracket 6R, BL16768

FIXED MOUNTING BRACKETS FOR TRACTORS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Right hand window mounted	7R, 8R, 9R	RE317435	106.90
Right hand window mounted	7020-7030, 8000-8030, 9020-9030	BRE10141	103.04
Right hand window mounted	6R	BL15042	396.94
Utility tray for RE317435 and BRE10141	-	BRE10142	55.49
Universal, fully adaptable mounting bracket	Most 5-9 Series tractor cabs	RE343680	70.12
C-post bracket	6030, 6030 Premium, 6M	BL15158	155.18
B-post bracket	6MC, 6RC	SJ20109	343.40
A- or B-post bracket	Most 5-9 Series tractor cabs	AL175909	192.44
CommandARM™ bracket for tablet holder	6R, 7R, 8R	BRE10501	23.81
Short Vertical Mounting Rail	Most 5-9 tractor cabs	BRE10575	127.05
Right side Window Mounting Bracket	7R-8RX (MY20-)	BRE10574	190.59
Headliner Mounting Rail	7R-8RX (MY20-)	R558980	88.63
Fixed mounting bracket	6R	BL16768	350.41



BRE10141, BRE10142



BL15042



RE343680



BL15158



SJ20109



AL175909



BRE10501



R558980



Find more individual mounting solutions in the universal section at the end of the catalogue.



HOW TO LOAD BETTER



LOADER PARTS AND ATTACHMENTS*

- Extensive loader work can be tiring for operators and tough on load and tractor.
- It's easy to upgrade your current John Deere loader to achieve more comfort and performance.
- John Deere offers a range of upgrade solutions like the loader suspension system. Take a look at the options below and contact your dealer for even more parts and attachments.



HYDRAULIC IMPLEMENT UNLATCHING

Unlatch your implements with a switch without leaving the cab. Manual unlatching is still available.

BCC10339 – for R Series loaders with Euro carrier and multicoupler

£1,070.12



LOADER SUSPENSION SYSTEM

Our effective damping protects your load, your tractor, and enhances driver comfort.

BXX10402 – for 603R, 623R, 643R, 663R, 683R

£880.12



ADDITIONAL LOADER LIGHTS

Better visibility means more comfortable and confident driving.

BCC10347 – for 603R, 623R, 643R, 663R, 683R

£548.62



CAMERA

See the forks in the tractor display to handle pallets more securely.

BXX10825 - for 603R, 623R, 643R, 663R, 683R on tractors with camera input plug

£500.15



BUCKETS

Built for total durability, designed for quick and easy attachment.

Standard Multi Purpose Bucket 2,200 mm with grapple EC300165

£3,623.30



MANURE FORKS

More uptime with quick-change mechanism – available in multiple widths.

Standard Manure Fork 1,600 mm with grapple EC300161

£3,137.62



BALE HANDLING

These implements fit our Euro carrier and will make light work of the heaviest tasks.

Bale Spike With Foldable Teeth 700 kgs BCC10186

£951.86



PALLET FORKS

Highly tensile, with a heavy-gauge steel frame and adjustable tine positions.

Convertible Pallet Fork, 1,600 kg EC47710

£1,794.85

* Many additional parts and attachments are available for your tractor, please contact your dealer.



ALTERNATIVES BY JOHN DEERE

Alternatives by John Deere are your best parts choice for machines that do not experience the high-intensity use of your primary equipment. All parts from this competitively priced product line go through a John Deere certification process that ensures they will always fit better than parts from other manufacturers.



The products shown here are only a small selection from our portfolio. You have access to all available parts through your dealer or at partscatalog.deere.com




DESCRIPTION	SERIES	PART NUMBER	PRICE £
Air filter	6520, 6615, 6620, 6630, 6715, 6820, 6830, 6920, 6930, 6520SE, 6620SE, 6620SE, 6630 Premium, 6830 Premium, 6920S, 6930 Premium, 7430 Premium, 7430E Premium, 7530 Premium, 7530E Premium	JXAL172781	61.92
Air filter	8130, 8230, 8330, 8430, 8530, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8310R, 8320R, 8335R, 8345R, 8360R	JXRE210102	68.52
Air filter	5055E, 5065E, 5075E	JXRE282286	42.50
Air filter	8120, 8220, 8320, 8420, 8520	JXRE172447	42.34
Filter element	4055, 4250, 4255, 4350, 4450, 4455, 4555, 4650, 4755, 4850, 4955, 7710, 7800, 7810, 8100, 8110, 8200, 8210, 8300, 8310, 8400, 8410, 8430, 8440, 8570, 8640, 9100, 9200, 9300, 9400	JXAR86745	31.33
Filter element	8120, 8220, 8320, 8420, 8520	JXRE164839	88.18
Filter head	5090E, 5100E, 6010, 6020, 6110, 6120, 6205, 6210, 6215, 6220, 6310, 6320, 6410, 6420, 6505, 6510, 6515, 6520, 6603, 6610, 6620, 6810, 6820, 6910, 6920, 7220, 7320, 7420, 7520, 7720, 7820, 7920, 6010SE, 6020SE, 6105J, 6110SE, 6120SE, 6140J, 6140JH, 6155J, 6155JH, 6210SE, 6220SE, 6310SE, 6320SE, 641SE, 6420S, 6420SE, 6510SE, 6520SE, 6610SE, 6620SE, 6910S, 6920S, 6920SE	JXRE508847	90.98
Fuel filter	1350, 1550, 1750, 1850, 1950, 2250, 2450, 2650, 2850, 3050, 3150, 3350, 3650, 1850N, 1950N, 2650N	JXAL67975	3.68
Precleaner	840, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1550, 1630, 1640, 1750, 1830, 1840, 1850, 1950, 2020, 2030, 2040, 2120, 2130, 2250, 2450, 2650, 1850N, 1950N, 2040S	JXAL39934	26.61
Precleaner	2140, 2650, 2650N, 2850, 3030, 3040, 3050, 3130, 3140, 3150, 3350, 3640	JXAZ24175	53.56
Belt tensioner	7710, 7715, 7720, 7810, 7815, 7820, 7920, 8120, 8220, 8320, 8420, 8520, 9220, 9320, 9420, 9520, 9620, 7185J, 7205J	JXRE170084	90.24
Belt tensioner	8220, 8320, 8420, 8520	JXRE184034	104.57
Belt tensioner	8100, 8110, 8200, 8210, 8300, 8310, 8400, 8410	JXRE69083	394.52



JXAL172781



JXRE282286



JXRE172447



JXAZ24175



JXRE69083



↑ | UPGRADE

DIGITAL SOLUTIONS

Step up the efficiency and comfort of your workday with our forward-thinking portfolio of digital products. This is the future; get on board and thrive.



PRECISION AG PACKAGES¹

Our Precision Ag Technologies help you run a profitable, sustainable business. The good news: most of our machines already have the right hardware or can be easily retrofitted.

<p>AUTOTRAC™²</p> <p>Get automatic guidance for your Generation 4 Display. AutoTrac™ helps you save time and money by reducing overlap, facilitating faster turns and reducing operator stress.</p> <p>Gen4 Universal Display £2,375.00</p> <p>Gen4 Command Center £1,900.00</p>	<p>PREMIUM PACKAGE²</p> <p>In addition to AutoTrac™, the Premium Package gets you features like Section Control for site-specific farming, ISOBUS-Documentation (TC-GEO), and Data Sync.</p> <p>Gen4 Universal Display £4,275.00</p> <p>Gen4 Command Center £2,850.00</p>	<p>AUTOMATION PACKAGE²</p> <p>This package earns its name by adding advanced automation features like AutoTrac™ Implement Guidance, AutoTrac™ Turn Automation, Machine Sync (Gen4) or AutoPath™.</p> <p>Gen4 Universal Display £6,175.00</p> <p>Gen4 Command Center £3,325.00</p>
--	---	---

ACTIVATION	AUTOTRAC™	PREMIUM 1.0	PREMIUM 3.0	AUTOMATION 4.0
DISPLAY	4240 AND 4640 UNIVERSAL COMMANDCENTER™ 4200 AND 4600	4240 UNIVERSAL COMMANDCENTER™ 4200	4640 UNIVERSAL COMMANDCENTER™ 4600	4640 UNIVERSAL COMMANDCENTER™ 4600
Documentation, Variable Rate Application and Data Sync	In base			
AutoTrac™	■	■	■	■
Section Control	-	■	■	■
AutoTrac™ RowSense™	-	-	■	■
AutoTrac™ Vision	-	-	■	■
In-field data sharing	-	-	-	■
AutoTrac™ Implement Guidance	-	-	-	■
AutoTrac™ Turn Automation	-	-	-	■
Machine Sync	-	-	-	■
AutoPath™	-	-	-	■

Legend: ■ included - excluded

¹ Please consult your dealer to confirm the compatibility of the different solutions with your specific machine and display. Additional Hardware may be required. Availability is dependent on regions.
² Please get in contact with your local John Deere Dealer for detailed order information.
³ Machine must be equipped with a Generation 4 CommandCenter™ or Universal Display (with minimum SU20-3 Software), StarFire™ 3000/6000/7000 receiver, JDLink™ Connect active subscription and a John Deere Operations Center™ account. If not already equipped with a MTG 4G a retrofit is required.
⁴ For AutoTrac™ ready John Deere S-Series Combines MY2008, C, W and T-Series from MY2009 in combination with 600 Series Cornheads and for SPFH MY2011/13 and MY2015+.



Scan the QR code to access our Precision Ag brochure, with lots of in-depth information on our products and solutions.

ADDITIONAL PRECISION AG ACTIVATIONS¹

In addition to our convenient Precision Ag Packages we offer single activations to unlock the full potential of your equipment and benefit your operation.

AUTOSETUP^{2,3}

1-Click-Go-AutoSetup reduces in-field setup time by up to 50%: your work tasks from the Operations Center automatically appear on the Gen4 Display when a machine enters the field.

FREE

AUTOTRAC™ ROWSENSE™ – GREENSTART 2/3 DISPLAYS⁴

Down maize, curves or uneven row spacing? You're always in the right row with AutoTrac™ RowSense™ while maintaining speed and significantly reducing operator stress.

£2,491.00

JOHN DEERE SECTION CONTROL – GREENSTAR™ 2/3 DISPLAYS⁵

John Deere Section Control automatically turns individual implement sections on and off at predefined locations in the field.

£1,796.00



EQUIPMENT ACTIVATIONS

You can choose your individual equipment configuration when ordering a new machine. We've made it easy for you to upgrade to optional features later with our software activations.

VARIABLE RATIO STEERING⁶

Improves operator comfort, requiring less hand movement and less steering effort when turning on the headland or working with a loader in confined spaces.

AL234179
£313.28

SMART MFWD⁷

Automatic 4-wheel drive setting based on wheelslip to reduce fuel consumption and tyre wear.

AL225890
£1,012.62

⁵ For GreenStar™ 2 and 3 Displays. Please ask your dealer for further details.

⁶ Variable ratio steering requires a John Deere AutoTrac™ ready equipped tractor (code 1758) and can be activated using the Gen 4 CommandCenter™ display. Only compatible with DirectDrive™ and AutoPowr™ transmissions. Not compatible with PowrQuad™ and AutoQuad™ transmissions. Not available for high-crop tractors.

⁷ Requires AutoPowr™-Transmission. For 6R Series tractors (MY18+)

6R

SERIES



**GO SMART,
DO MORE.**

Are you fed up with scribbling notes and wasting time clicking on displays? With **1-Click-Go - Autoseup**, you can reduce in-field setup time by up to 50%: your preplanned work tasks in the Operations Center automatically appear on the Gen4 Display when a machine with JDLink™ connectivity enters the field. All the operator has to do is confirm the details with **one click**, and they're ready to go.

**SIGN UP FOR A FREE ACCOUNT AT
OPERATIONSCENTER.DEERE.COM**



1CLICK-GO[®]
AUTOSETUP



PREVENT

COMBINE PARTS AND ATTACHMENTS

What are some essential ingredients for a successful harvest? Here are three levels you must score on: Performance, uptime, and cost of operation. To get there, use only John Deere certified parts and inspect key wear parts regularly.

PLATFORM

CROP LIFTERS

- Crop lifters ensure that laying crops are effectively picked up and increase the performance in down-crop situations. Intact crop lifters prevent damage to the cutterbar.
- Replace the crop lifters once they are bent or damaged.
- Original John Deere crop lifters are easily installed on the knife guards and can be adjusted in three positions to ensure the right angle for a reliable crop flow without the risk of damages.

SERIES	PART NUMBER	PRICE £
600R, 700PF, 600X, 700X	AXE23480	20.48



AXE23480



KNIFE GUARDS


- Properly serviced knife guards mean lower power needs, which reduces fuel consumption and translates into increased belt life.
- Replace knife guards when they are broken, bent or if the gap exceeds 5.4 mm. Use our multitool MCXFA1961 to measure the degree of wear in seconds.
- Original John Deere knife guards feature superior wear characteristics due to the special surface treatment we apply.



AXE37174



H229537 (LSL) & H229538 (SLS)



MCXFA1961

DESCRIPTION	SERIES	PART NUMBER	PRICE £
WELDED KNIFE GUARD			
Welded knife guard	600R, 600X, 700X, 700PF	AXE37174	19.50
Multitool	All Series	MCXFA1961	6.74
FORGED KNIFE GUARD			
Long point knife guard (Long-short-long) - for small grain (cereals, oil-seed rape)	600D, 700D, RDF	H229539	36.66
Long point knife guard (Short-long-short) - for small grain (cereals, oil-seed rape)	600D, 700D, RDF	H229540	36.66
Blunt point knife guard (Long-short-long) - for varying crops (soy beans)	600F, 600FD, 700FD, RDF	H229537	42.49
Blunt point knife guard (Short-long-short) - for varying crops (soy beans)	600F, 600FD, 700FD, RDF	H229538	45.60



CUTTING PARTS

- Did you know that up to 80 percent of crop loss can occur at the combine header? In your knife section, smooth precision is absolutely essential for an effective cut – and will save you fuel.
- Replace knife sections when they are broken, bent or when serrations are rounded and no longer grab the crop or when teeth are missing or the tip is worn to a point.
- Original John Deere knife sections are made using the latest computer controlled hardening processes to deliver longer, more efficient cutting. They'll always fit the first time for fast, downtime reducing changeover.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
3-INCH (76.2-MM) KNIFE SECTION			
3-Inch coarse serrated knife section (for dry conditions in small grain and coarse grain (e.g. soybeans))	600R, 600X, 700X, 700PF	Z93077	1.77
3-Inch fine serrated knife section (for varying conditions (green straw and weedy) in small grain, or varying crops (grass and linseed))	600R, 600X, 700X, 700PF	Z93078	1.64
4-INCH (101.6-MM) KNIFE SECTION			
4-Inch – coarse section (for dry conditions in small grain and coarse grain (e.g. soybeans))	600D, 700D, 600FD, 700FD, RDF	H163131	4.45
4-Inch – coarse overlap section (for dry conditions in small grain and coarse grain (e.g. soybeans))	600D, 700D, 600FD, 700FD, RDF	H226352	10.02
4-Inch – fine section (for varying conditions (green straw and weedy) in small grain, or varying crops (grass and linseed))	600D, 700D, 600FD, 700FD, RDF	H153329	4.38
4-Inch – fine overlap section (for varying conditions (green straw and weedy) in small grain, or varying crops (grass and linseed))	600D, 700D, 600FD, 700FD, RDF	H226351	9.99



Z93077



Z93078 (box of 25)



H163131



H226352




H153329

CUTTERBAR KITS FOR 600R/ 600X/ 700X


- Save time and money by purchasing a complete cutterbar kit instead of replacing individual parts.

DESCRIPTION	MODEL	PART NUMBER	PRICE £
Fine serrated	622X, 722X	KXE10463	1,276.91
Fine serrated	625X, 725X	KXE10464	1,339.04
Fine serrated	630X, 730X	KXE10465	1,092.03
Fine serrated	635X, 735X	KXE10466	1,364.62
Fine serrated	640X, 740X	KXE10467	2,094.64
Coarse serrated	622X, 722X	KXE10306	736.70
Coarse serrated	625X, 725X	KXE10308	786.47
Coarse serrated	630X, 730X	KXE10309	910.61
Coarse serrated	635X, 735X	KXE10310	1,301.91
Coarse serrated	640X, 740X	KXE10311	1,373.87

600X/ 700X Cutterbar kits are also available with finely serrated knives.



KXE10308

**EXAMPLE: 622R****CUTTERBAR SEGMENT OVERVIEW FOR 600R (COARSE SERRATED)**

DESCRIPTION	MODEL	PART NUMBER	PRICE £
Head segment	616R-630R	AH168890	382.35
Head segment	635R	AXE19894	505.80
Middle segment*	616R-635R	AH168892	129.35
Coupler*	616R-635R	AH168906	42.48
End segment	616R	AH221747	23.59
End segment	618R	AH168896	67.22
End segment	620R	AH168898	96.85
End segment	622R	AH168900	206.32
End segment	625R	AH168902	65.87
End segment	630R	AH168900	206.32
End segment	635R	AXE20195	166.16

Also available for fine serrated cutterbars, see inspection & maintenance guide page 16 or ask your dealer.

* Required quantities may vary with the width of the cutting platform.

AUGER FINGERS

- Finger retainers reduce the risk of internal auger damage and unnecessary repair costs by preventing broken fingers from entering the combine.
- Intact auger fingers improve feeding and enable higher harvesting speeds.
- Original John Deere Auger Fingers feature zone hardening and high elasticity so that they can withstand heavier stress levels without deforming or breaking.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
AUGER FINGERS FOR 600R/ 600F/ 600X/ 700X			
Kit of 10 steel auger fingers, retainer and pins	600R, 600F, 600X, 700X	AH214868	165.46
Finger cap	600R, 600F, 600X, 700X	H168206	7.87
Finger bearing	600R, 600F, 600X, 700X	AH171602	8.60
Finger	600R, 600F, 600X, 700X	H169914	12.53
AUGER FINGERS FOR 600D/ 700D/ 600FD/ 700FD/ RDF			
Kit of 10 Steel Auger Fingers	600D, 700D, 600FD, 700FD, RDF	AXE21246	184.07
Finger Set (1x Finger, 1x Spring Locking Pin, 1x Retainer)	600D, 700D, 600FD, 700FD, RDF	AH228229	16.02



H169914



AH214868



AH171602



AH228229




EXPERT TIP

OPTIMISE THE FLOW

Tapered auger flight extensions can help you mitigate uneven material flow into the feederhouse. A smooth, even flow is essential for optimal machine performance.

600R + 600X and 700X Series cutting platforms
BXE10080



REEL TINES

- Composite tines are the perfect choice for maximum performance in down and short crops as they facilitate better crop reach and more active movement.
- Replacing missing or bent tines ensures a reliable material feed and prevents interference with other components.
- Original John Deere reel tines feature the tightest tolerances to prevent interference while facilitating the highest feeding performance.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Steel Tine	600F, 600R, 600X, 700X	Z102299	2.49
Plastic Tine (Set of 10) (For reel without bats)	600X, 700X, 700PF, 600D, 700D, 600FD, 700FD, RDF	KXE10423	92.70
Plastic Tine (Set of 60) (For reel without bats)	600X, 700X, 700PF, 600D, 700D, 600FD, 700FD, RDF	KXE10424	438.36
Plastic Tine, Full bat, (set of 10)	600F, 600D, 700D, 600FD	AH166489	47.51
Plastic Tine, Full bat, (set of 130)	600F, 600D, 700D, 600FD	AH166493	569.78
Plastic Tine, RH bat, (set of 10)	600F, 600D, 700D, 600FD	AH166490	54.75
Plastic Tine, LH bat (set of 10)	600F, 600D, 700D, 600FD	AH166491	54.75
Plastic Tine, no bat (set of 10)	600F, 600D, 700D, 600FD	KXE10477	66.89





Complete conveyor chain, 3 strand



HXE33371



KJD10531

FEEDERHOUSE

CHAINS AND SLATS


- Serviced feederhouse chains and slats are necessary to support the acceleration functionality of the feederhouse and thinning the crop mat, thus enhancing overall combine performance.
- Replace the chains if they make noise during operation or have reached 3% elongation and can no longer be adjusted. Use tool part KJD10531 to check elongation.
- Original John Deere feederhouse chains and slats are designed to last longer. We build them for better wear and shock load protection by engineering better lubrication, using higher grade steel for chain components and stronger side bars.

DESCRIPTION	QUANTITY/ MACHINE	SERIES	MY	PART NUMBER	PRICE £
Chain Strand – outer	2	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ63336	291.95
Chain Strand – inner	1	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ63337	297.04
Heavy Duty Chain Strand – outer	2	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ102573	383.63
Heavy Duty Chain Strand – inner	2 for 6 Walkers 1 for 5 Walkers	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY14, MY15	AZ102574	376.16
Slat	As required – up to 32	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	Z100722	17.18
Slat	As required – up to 48	W650, W650HM, W660, W660HM, T660, T660HM, T670, T670HM	MY14, MY15	Z100723	14.95
Heavy Duty Chain Strand – outer	2	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY16+	AXE41939	367.88
Heavy Duty Chain Strand – inner	2 for 6 Walkers 1 for 5Walkers	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY16+	AXE41940	446.58
Slat	As required – up to 26	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY16+	HXE33371	18.94
Slat	As required – up to 39	W650, W650HM, W660, W660HM, T660, T660HM, T670, T670HM	MY16+	HXE33370	17.83
Slat	24 for HillMaster™ 9 for Levelland	S660, S670, S680, S685, S690, S660HM, S670HM, S680HM, S685HM, S690HM, S760, S770, S780, S785, S790, S760HM, S770HM, S780HM, S785HM, S790HM	MY12+	HXE24328	88.58
Slat	18	S660, S670, S680, S685, S690, S760, S770, S780, S785, S790	MY15+	HXE42402	33.19

Complete conveyor chain sets also available.



Keep your combine running great – get your Maintenance and Parts Guide from us.



THRESHING PARTS

ROTARY COMBINES

- Serviced threshing elements are essential for maximum threshing capacity.
- Replace threshing elements when you identify wear on concaves, threshing elements and separator tines with the rotor wear gauge.
- Original John Deere threshing elements deliver highest threshing performance at the lowest loss levels.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
TRISTREAM™ ROTOR (PACKAGE OF 3)			
Smooth threshing elements 1 st row	S-Series	AH216674	1,094.45
Smooth threshing elements 2 nd row	S-Series	AH216675	763.49
Smooth threshing elements 3 rd to 5 th row	S-Series	AH216677	365.61
VARIABLE STREAM ROTOR (PACKAGE OF 3)			
Threshing element, Normal wear, grain	S-Series	KXE10034	494.89
Threshing element, High wear, grain	S-Series	KXE10035	1,242.18
Threshing element, High wear, rice	S-Series	KXE10036	1,235.49
Rotor wear gauge	S-Series	KXE10110	48.20



AH216677



KXE10110


WALKER COMBINES

- Properly serviced rasp bars are crucial for getting you back to your best threshing results.
- Replace them when their profile is below 6 mm thickness.
- Original John Deere Rasp Bars undergo deeper heat treatment to achieve higher durability.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
RASP BAR SET (PACKAGE OF 2)			
One left-hand side, one right-hand side	205X, 225X	AZ47216	128.06
One left-hand side, one right-hand side	206X, 226X	AZ47217	142.41
One left-hand side, one right-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AZ58904	156.34
One left-hand side, one right-hand side	96XX WTS, W6X0, T6X0	AZ58905	177.14
CHROMED RASP BAR SET (PACKAGE OF 5)			
Left-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AH205119	688.23
Right-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AH205120	688.23
Left-hand side	96XX WTS, W6X0, T6X0	AH205124	779.04
Right-hand side	96XX WTS, W6X0, T6X0	AH205125	779.04



AZ58904



AH205120



EXPERT TIP

COMBINE MULTITOOl

A handy pressed steel, branded, multifunctional tool for fast multi-panel access and for checking the gap in combine sieves.


MCXFA1962 – all Series
£9.46





FILTERS

- Properly functioning filters keep your combine healthy. They protect components by stopping external contaminants, thereby reducing wear and fuel consumption.
- Filter service should be part of your routine scheduled maintenance.
- Original John Deere filters trap particles as small as one fifth of the width of a human hair. This guarantees standout protection and extended service intervals for more uptime and lower cost of operation.




DESCRIPTION	SERIES	PART NUMBER	PRICE £
1 Recirculation Air Filter	W,T (MY14+) and S Series (MY15+)	L214634	16.53
2 Cab Air Filter	W,T (MY14+) and S Series (MY15+)	RE284091	49.42
2 Carbon Filter Plus Cab Air Recirculation Filter	W,T (MY14+) and S Series (MY15+)	TY27779	94.09
2 Carbon Filter Plus Cab Air Filter	W,T (MY14+) and S Series (MY15+)	TY27783	367.15
3 Air Pre-cleaner Primary Filter	S Series (MY15+)	HXE11090	164.74
3 Air Pre-cleaner Primary Filter	W,T (MY14+)	AH164062	137.66
4 Air Pre-cleaner Secondary Filter	S Series (MY15+)	HXE11091	143.76
4 Air Pre-cleaner Secondary Filter	W,T (MY14+)	AH164063	45.61
5 Engine oil filter (13.5 L)	S Series (MY15+)	RE572785	62.06
5 Engine oil filter (9 L)	W,T (MY14+)	RE509672	34.15
5 Engine oil filter (6.8 L)	W,T (MY14+)	RE539279	24.21
6 Fuel filter	W,T (9 L, MY14+), S Series (MY15+)	DZ112918	102.39
6 Final fuel filter	W,T (6.8 L, MY16+)	DZ115392	53.99
7 Primary fuel filter	W,T (9 L, MY14+), S Series (MY15+)	RE539465	97.32
7 Primary fuel filter	W,T (6.8 L, MY16+)	DZ115391	52.09
7 Primary and final fuel filter	W,T (6.8 L, MY14, MY15)	RE541746	111.00
8 Air Cleaner Primary Filter	S Series (MY15+)	AXE42066	116.01
9 Fuel pre-filter, Standard fuel water separator	W, T (MY14+) and S Series (MY15+)	R502778	25.81



BELTS

- Serviced belts are crucial for maintaining maximum power and efficiency of your machine – increasing uptime and reducing fuel consumption.
- Replace belts when they are ruptured or torn, but also if they start to make irregular noises or have reached 3% elongation and can no longer be adjusted.
- Original John Deere belts have a unique rubber mix and aramid cords for a longer life with longer service intervals and enable cost savings of up to 30%.



DESCRIPTION	SERIES	PART NUMBER	PRICE £
W/T-SERIES			
Clean grain elevator drive	W/T-Series MY08+	HXE51300	297.01
Fixed speed feederhouse drive	W540/W650 (Level land only)	H176766	193.24
Fixed speed feederhouse drive	W550/ W660, T-Series (Level land only)	HXE12427	179.67
S-SERIES			
Feederhouse drive	S-Series MY12+ (Heavy Duty and High Torque)	H174885	341.21
Feederhouse drive	S660/S760 MY12+ (Heavy Duty)	H218726	361.33
Feederhouse drive	S660, S670, S670HM, S760, S770, S770HM MY12+ (High Torque)	HXE45928	552.65
Feederhouse drive	S-Series MY12+ (5 Speed); HM models MY14+	H229019	421.03
Rotor drive	S-Series MY12+ (Heavy Duty)	HXE147321	756.09
Rotor drive	S-Series MY12+ (Standard)	HXE150557	647.60



H174885

H176766



HXE147321





CHOPPER KNIVES

- Sharp chopper knives boost performance, reduce fuel consumption because they require less power. The maximum chopping quality prevents further expenses for soil cultivation.
- Change the knives once you identify damaged areas or wear. Always replace chopper knives in pairs, i.e. both sides, to ensure the rotor stays properly balanced.
- Original John Deere chopper knives are precision-engineered for perfect balance and zone-hardened – for lower operational costs and sustained chopping quality.



HXE140636



KXE10363



Z103205

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Dimpled knife kit (set of 8)	S-Series MY12+, X-Series	KXE10761	205.01
Dimpled knife	S-Series MY12+, X-Series	HXE140636	28.18
Straight knife (set of 8)	S-Series MY12+	KXE10256	114.31
Wing blade (set of 8)	S-Series MY12+	KXE10363	161.53
Stationary knife	STS™, S-Series	H215004	5.38
Standard chopper serrated and rotary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series, 1x50, 1x70	Z77601	7.63
Standard chopper smooth and rotary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series, 1x50, 1x70	Z53454	5.99
Standard chopper serrated and stationary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	HXE13024	5.85
Standard chopper smooth and stationary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	HXE13023	4.87
Standard corn smooth knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	Z42176	7.83
Premium chopper serrated and rotary knife	9780CTS, 9000WTS, W/T-Series	Z103205	11.90
Premium chopper smooth and rotary knife	9780CTS, 9000WTS, W/T-Series	Z103376	11.69
Premium chopper stationary knife	9780CTS, 9000WTS, W/T-Series	Z75874	10.30
Premium corn serrated knife	9780CTS, 9000WTS, W/T-Series	Z105500	13.60



↑ | UPGRADE

ACTIVEYIELD™ CONVERSION

- If an operator would rather be harvesting grain or stopped calibrating the yield monitor system, ActiveYield™ will maximise the system's accuracy with no effort or time away from the harvest. Every field and every variety, ActiveYield™ will be there delivering quality yield data.

SERIES	PART NUMBER	PRICE £
S-Series MY17+	BXE10797	3,045.40
S-Series MY12-MY16	BXE10503	4,092.49




BXE10797

TAILINGS COVER FOR WALKER COMBINES

- Closes the tailings feeding channel in the cleaning shoe to ensure all grain is captured in the clean grain elevator feeding auger.

SERIES	PART NUMBER	PRICE £
W&T MY16+, 5 Walker	KXE10367	1,503.54
W&T MY16+, 6 Walker	KXE10368	1,729.16



KXE10368

CONCAVES FOR MAXIMUM THRESHING CAPABILITY AND THRESHING PERFORMANCE

- S-Series Combines are equipped with a high-strength concave that consists of three sections (front, middle, and rear). The correct concave configuration is essential for the performance of the combine in a wide variety of crops and conditions.

DESCRIPTION	BEST FOR	SERIES	PART NUMBER	PRICE £
Small wire	Canola and grass seed	S-Series MY12+	BXE10388	3,404.97
Extended wear small wire	Canola and grass seed	S-Series MY12+	BXE10389	4,839.25
Large wire	Sunflowers and sorghum	S-Series MY12+	BXE10390	3,258.90
Extended wear large wire	Rice, sunflowers and sorghum	S-Series MY12+	BXE10391	4,504.60
Extended wear round bar	Corn and soybeans	S-Series MY12+	BXE10387	3,172.58
Mini round bar	Tough conditions, green straw	S-Series MY12+	AXE37789 & AXE37790	2,338.33 2,025.13
Kondex small grain	Aggressive threshing in high chaff load conditions	S-Series MY12+	BXE11144	2,406.27
Kondex coarse grain	Aggressive threshing	S-Series MY12+	BXE11145	2,406.27



BXE11144



STRAW BUMPER KIT FOR PREMIUM RESIDUE

- Smoother straw flow for S-Series combines equipped with a premium residue system. The kit improves your straw quality by creating a fluffier swath which dries faster, with improved baleability.



BXE1100

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Kit with Advanced Power-Cast	S-Series retrofitable back to MY 12 premium residue	BXE1100	932.35
Kit with vane tailboard	S-Series retrofitable back to MY 12 premium residue	BXE1101	932.35

FIXED MOUNTING BRACKETS FOR HARVESTING MACHINES



BXE10927

DESCRIPTION	PART NUMBER	PRICE £
MOBILE MOUNTING BAR, RH		
Combines (MY2012-13)	BXE10481	262.52
Combines (MY2014+), Windrowers W235 and W260	BXE10927	194.87
8000, 9000 Series SPFH, Combines (MY2012-)	AL212605	186.49
MISCELLANEOUS		
Slide mount with ball for mounting bar	BXE10480	80.23



Find more individual mounting solutions in the universal section at the end of the catalogue.

IT'S A PERFECT FIT



JOHN DEERE


NOTHING RUNS LIKE A DEERE

ORIGINAL JOHN DEERE BATTERIES

Choose the only batteries that gives you the John Deere performance you signed up for when you bought your machine. Buy the battery that's built for your equipment and benefit from extended service life, superior vibration resistance, and superior starting power.



Simply scan the QR code and explore.



ALL YOUR PARTS UNDER ONE ROOF

Any model, any age: Get all parts for your livestock, forestry, garden and workshop needs from your John Deere dealer. Explore our original parts portfolio right here.



WHY DO I NEED ORIGINAL PARTS?

Original Parts and John Deere branded products are made specifically for John Deere and meet strict quality, specification and longevity tests.



WHEN ARE REMANUFACTURED PARTS IDEAL?

Reman means a remanufacturing process, failed and worn parts which are replaced with original parts and then inspected and tested to original performance specifications.



CAN I USE ALTERNATIVES BY JOHN DEERE PARTS?

Alternatives by John Deere parts are competitive aftermarket parts for older John Deere machines. They are redesigned at a different specification level and authorised to fit John Deere machines.





PREVENT

SPFH PARTS AND ATTACHMENTS

You'll always work at peak performance when you use John Deere certified parts and attachments.

FEED ROLL BARS

- A smooth crop mat doesn't just mean better silage quality; it also shows that your feed rolls are working efficiently. That's essential for your productivity and profitability.
- The replaceable wear bars on the upper and lower feed rolls are easy to exchange. Use the serrated or smooth side of the bar to match your crop condition. Pro tip: double the wear life by simply reversing the wear bars, saving you thousands throughout the life of your machine.
- Original John Deere Feed Rolls, Wear Bars and Bolts are made from heavy-duty, induction-hardened stainless steel to help maximise uptime. John Deere wear-resistant feed rolls are completely demagnetized, so they won't false-trip the metal detector.



DESCRIPTION	QTY PER ROLL	SERIES	PART NUMBER	PRICE £
8000 SERIES SPFH*				
Reversible steel bar for upper roll	10	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE93580	83.28
Plastic strip for upper roll	10	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE87701	42.38
Reversible steel bar for lower roll	12	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE100098	57.94

* The table shows examples for 8000 narrow-body machines. These parts are also available for all other models, please ask your dealer for the right part number.



SHEARBARS

- Shearbars – or stationary knives – are the other half of the chopping mechanism. They are critical to the effective performance of the cutterhead, as they provide a fixed platform against which to cut the crop.
- New in our portfolio: The Dura Line™ corn shearbar. Larger coating and top coating to guarantee excellent quality of cut and up to four times longer lifetime than the standard corn shearbar.
- For 8000 and 9000 Series, the entire shearbar assembly pivots toward the cutterhead drum, ensuring a constant optimum cutting gap of 0.2-0.4 mm. The simplified shearbar system gives knives more room, so they can have wider coatings and makes shearbar adjustments easier.



HXE171639



Grass Shearbar



Corn Shearbar





Dura Line™ Plus Shearbar

DESCRIPTION	SERIES	PART NUMBER	PRICE £
6000, 7000, 8000 AND 9000 SERIES SPFH*			
Corn	Shearbar kit for 6050, 7200-7500, 7250-7550, 7180-7580	AZ53906	879.99
Grass	Shearbar kit for 6050, 7200-7500, 7250-7550, 7180-7580	AZ103112	781.80
All Crop, Dura Line™ Plus	Shearbar for 6050, 7000, 7050, 7080	AXE37631 ¹	1,896.11
Corn	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE142406	665.93
Dura Line™ Corn	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE171639	1,319.44
Grass	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE142407	743.92
Dura Line™ Plus	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE172985	2,255.30
Corn	8600-8800 (-MY18), 9600-9900 (MY19+)	HXE142408	909.21
Dura Line™ Corn	8600-8800 (-MY18), 9600-9900 (MY19+)	HXE171640	1,651.77
Grass	8600-8800 (-MY18), 9600-9900 (MY19+)	HXE142409	938.01
Dura Line™ Plus	8600-8800 (-MY18), 9600-9900 (MY19+)	HXE169399	2,920.77

* For the models which are not displayed in this table, please ask your dealer.

¹ 1xPTFE strip Z49449 and 2xE72350 PTFE shim are required for installation.



- 1 | Sandblasted surface ensures precise clamping forces.
- 2 | Induction-hardened cutting zone stays sharp longer.
- 3 | Tough body minimises breakage risk.
- 4 | Extended knife body supports retraction on object impact.
- 5 | Trademark identifies the original John Deere knife.

CUTTERHEAD KNIVES

- The wearlife of a knife is directly related to the width of the coating on the chopping edge. Compared to the 7080 Series, the 8000 and 9000 Series have 41% wider coating on maize knives and 33% on grass knives. This improves durability and reduces wear- saving you money on maintenance and fuel costs.
- Use alignment tools HXE126431 and HXE126432 in the SPFH tool compartment. Always fasten the knives with original bolts and don't overtighten them (260-230-260 Nm).
- Original John Deere knives feature a tough tungsten carbide coating for high-quality cutting, longer wear life, and lower engine power demands. These knives stay sharper, for longer.



HXE126431, HXE126432

DESCRIPTION	QUANTITY PER CUTTERHEAD ROTOR	SERIES	PART NUMBER	PRICE £
6000, 7000, 8000 AND 9000 SERIES SPFH*				
Corn, straight	40/48/56	6000, 7200-7500, 7250-7550, 7180-7580	Z63136	30.35
Corn, angled RH	20/24/28	6000, 7200-7500, 7250-7550, 7180-7580	Z62075	36.62
Corn, angled LH	20/24/28	6000, 7200-7500, 7250-7550, 7180-7580	Z62076	36.62
Grass, standard	40/48/56	6000, 7200-7500, 7250-7550, 7180-7580	Z69500	25.90
Grass, Dura Line™	40/48/56	6000, 7200-7500, 7250-7550, 7180-7580	Z102741	29.07
Grass, Dura Line™	40/48/56/64	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE53568	31.10
Corn, Dura Line™	40/48/56/64	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE53570	37.63
Grass, Dura Line™	40/48/56/64	8600-8800 (-MY18), 9600-9900 (MY19+)	HXE52933	42.03
Corn, Dura Line™	40/48/56/64	8600-8800(-MY18), 9600-9900 (MY19+)	HXE52950	51.63

Don't forget to order the necessary knife fixing parts (cover plate, nut bar, bolts)
 * Available for all models, ask your dealer.




SHARPENING STONES


- The perfect mix of grains and sintered corundum of John Deere sharpening stones will guarantee the best edge for your knives, more efficient cutting, and reduce fuel consumption.
- Developed to perform 450 grinding cycles, the counter on the display will tell you when to replace the stone.
- Original John Deere sharpening stones are specially developed for your John Deere SPFH. The density and grain size are perfectly balanced. The stone will always fit the first time, for fast, downtime-reducing changeover.



DESCRIPTION	SERIES	PART NUMBER	PRICE £
Sharpening stone	6010, 6050 (-504991)	AZ53747	144.34
Sharpening stone	6050 (504992-), 7000, 7050, 7080	AZ56626	142.34
Sharpening stone	8000, 9000	AXE17437	137.03



John Deere



Competition

EXPERT TIP

WE HAVE A WINNER


A 2017 kernel processor benchmark test compared a John Deere KP chromed roll with an aftermarket competitor to reveal that the John Deere roll shaft hardness is 40% higher and that the tooth hardness of the John Deere roll was almost double that of the competitor.

KERNEL PROCESSOR ROLLS (CORN)


- The intense processing of our Premium KP™ delivers excellent forage quality at any length of cut (LOC). Our XStream KP™ is the heavy-duty solution for high-throughput, high-horsepower machines and processing at any LOC, any crop, in all conditions.

DESCRIPTION	SERIES	PART NUMBER	PART NUMBER	PRICE £
6000 AND 7000 SERIES SPFH		UPPER OR FRONT	LOWER OR REAR	
Triangular teeth	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ102631 (107)	AZ102631 (107)	1,996.11
Saw teeth, corn	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ101800 (107)	AZ101800 (107)	1,894.40
Dura Line™ Saw teeth, corn	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ101376 (107)	AZ101376 (107)	3,021.30
XCut	7200-7500 7250-7550 7180-7580 Series	AXE84266 (95)	AXE84267 (115)	2,795.06
8000 AND 9000 SERIES SPFH				
JD Premium KP™ Standard Sawtooth	8100-8500 (-MY18), 8100-8600 (MY19+)	AXE43571 (118)	AXE43572 (118)	2,258.07
JD Premium KP™ Dura Line™ Sawtooth	8100-8500 (-MY18), 8100-8600 (MY19+)	AXE43639 (118)	AXE43640 (118)	3,532.00
JD XStream KP™ Dura Line™ Sawtooth	8300-8600 (MY19+)	AXE74516 (110)	AXE74517 (145)	3,982.41
JD XStream KP™ Dura Line™ XCut	8300-8600 (MY19+)	AXE74518 (110)	AXE74519 (145)	4,019.10
JD XStream KP™ Dura Line™ Whole crop XCut	8300-8600 (MY19+)	AXE74519 (145)	AXE74520 (165)	4,019.10


Also available for 8600-8800 from MY18 and for 9600-9900 – ask your dealer



JD Premium KP™ Standard Sawtooth | For corn – provides higher aggressiveness



JD Premium KP™ Dura Line™ Sawtooth | For corn – provides increased lifetime due to the hard chroming



JD XStream KP™ Dura Line™ Sawtooth | For extreme kernel processing at any length of cut





Keep your SPFH running great – get your Maintenance and Parts Guide from your dealer



BLOWER PADDLES

- Blower paddles help elevate the crop the more than 4m between the accelerator exit and the spout end, overcoming the friction along the transition and spout liners.
- Change paddles regularly to ensure proper ejection from the spout flap.
- There is a special tool stored in the toolbox to check paddle/liner settings. Basic gap setting is: MAIZE: 1.5 mm (+/-0.5 mm) GRASS: 3 mm (+/-0.5 mm).



DESCRIPTION	APPLICATION	QTY PER BLOWER ROTOR	SERIES	PART NUMBER	PRICE £
6000, 7000, 8000 AND 9000 SERIES SPFH*					
Kit of straight paddles	12 x straight paddles and screws for classic blower	1	6000, 7200-7500, 7250-7550 (-511705)	AZ53486	383.35
Straight paddle	High performance blower, normal conditions	8	7250-7550 (511706-) and 7180-7580	HXE29868	40.32
Serrated paddle	High performance blower, in sticky conditions	5	8100-8500	HXE71450	37.26
Serrated paddle	High performance blower, in sticky conditions	5	8100-8500	HXE71452	37.26
Straight paddle	Normal conditions	10	8100-8500	HXE37067	39.93

* For specific models, please ask your dealer.



HXE71450



HXE37067

↑ | UPGRADE

PERFORMANCE AND ENHANCEMENT KITS

- Adapt your SPFH to your specific conditions and take things to the next level with our SPFH Performance kits. Spout extension, inoculant dosing system or KP crane will prime your machine for better performance and greater uptime.



Spout Extension



Additive dosing system



KP Crane




EXPERT TIP

There are many ways to increase the comfort, performance, and versatility of your SPFH – your dealer can help!



FILTERS

- Properly functioning filters keep your SPFH healthy. They protect components by stopping external contaminants, thereby reducing wear and fuel consumption.
- Filter service should be part of your routine scheduled maintenance.
- Original John Deere filters trap particles as small as one fifth of the width of a human hair. This guarantees standout protection and extended service intervals for more uptime and lower cost of operation.



DESCRIPTION	PART NUMBER	PRICE £
ENGINE		
1 DEF Suction Filter (only 8000 series)	DZ110562	53.05
2 DEF Tank Vent Filter	H216169	35.67
3 DEF Dosing Unit Filter (only 8000 series)	DZ114640	66.51
4 Main Air cleaner	HXE43545 (9 L)	140.57
4 Main Air cleaner	HXE60966 (13.5 L)	293.90
4 Main Air cleaner	AZ104110 (19 L) up to MY18	253.62
4 Main Air cleaner	2 x HXE43545 (24 L) from MY19	2 x 140.57
5 Safety Air cleaner	HXE43546 (9 L)	122.17
5 Safety Air cleaner	HXE60967 (13.5 L)	255.33
5 Safety Air cleaner	AZ104111 (19 L) up to MY18	115.80
5 Safety Air cleaner	2 x HXE43546 (24 L) from MY19	2 x 122.17
6 Engine Oil Filter	RE509672 (9.0 L)	34.15
6 Engine Oil Filter	RE572785 (13.5 L)	62.06
6 Engine Oil Filter	2 x DZ121669 (19 L) -MY18	2 x 72.17
6 Engine Oil Filter	LW11427521 + 2 x LW12403708 (24 L) MY19+	197.40 + 2 x 191.48

DESCRIPTION	PART NUMBER	PRICE £
7 Fuel Filters	RE525523 (9 L T2)	112.10
7 Fuel Filters	DZ112918 + RE532952 (13.5 L T2)	102.39 + 97.70
7 Fuel Filters	DZ112918 + RE539465 (9 L & 13.5 L FT4)	102.39 + 97.32
7 Fuel Filters	RECF51976300 + 2 x RECF0578200 (19 L) MY18+	39.57 + 2 x 115.86
BASIC HYDRAULIC		
8 PTO Gearbox Filter Element	AXE27449	96.50
9 Hydraulic System Tank Filter Element	AXE27447	183.37
PRODRIVE™ ONLY		
10 ProDrive™ Transmission Oil Filter Element	AXE27449	96.50
CAB		
11 Recirculation Air Filter	L214634	16.53
11a Carbon Filter Plus Recirculation Filter	TY27779	94.09
12 Air Filter	RE284091	49.42
12a Carbon Filter Plus Air Filter	TY27783	367.15
ADDITIVE DOSING SYSTEM		
13 High Volume ADS Filter	AXE38488	25.55
14 Nozzle Filter	AXE38496	7.02

DURA LINE™: MORE THAN 10 YEARS, EXPERIENCE OF LASTING LONGER

- Did you know that the incredibly hard coating of Dura Line™ parts also produces a high self-cleaning effect that reduces crop build-up?
- Add Dura Line™ parts to customise your ex-factory package, and improve the wear resistance where you think it's necessary.
- Dura Line™ liners will save you cash. The industry-leading coating is stronger than the competition and lasts a minimum of 4x longer.

REGULAR AND DURA LINE™ WEAR LINERS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
6050 AND 7000 SERIES SPFH		REGULAR WEAR	
Spiral band	7200-7500, 7250-7550, 7180-7580	AXE40436	402.26
KP Chute	7200-7500, 7250-7550, 7180-7580	AZ71588	652.58
Grass chute	7200-7500, 7250-7550, 7180-7580	Z78611	250.23
Blower chute	7200-7500, 7250-7550, 7180-7580	AZ55555	198.43
Blower band	7200-7500, 7250-7550, 7180-7580	Z67028	249.41
1 st Spout liner Hardox 400 (length 848 mm)	7050 (509964-) -7080	AZ103510	204.25
2 nd Spout liner w/o Harvest Lab (length 2,000 mm)	6050 (504994-) -7000 (-509963)	AZ101740	199.97
2 nd Spout liner w/o Harvest Lab (length 1,800 mm)	7050 (509964-) -7080	AZ103382	267.03
Middle flap	6050 (504994-) -7000	AZ54380	190.00
End flap	6050 (504994-) -7000	AZ53234	224.51

All these parts are available for 7700-7980, ask your dealer about specific models.

DESCRIPTION	SERIES	PART NUMBER	PRICE £	PART NUMBER	PRICE £			
8000 AND 9000 SERIES SPFH		REGULAR WEAR		DURA LINE™				
				BASIC	PREMIUM	ULTIMATE		
Spiral Band	8100-8500 -MY18, 8100-8600 MY19+	AXE72907	1,214.37	AXE74478	■	■	■	3,887.25
Accelerator Band	8100-8500 -MY18, 8100-8600 MY19+	AXE41235	640.36	AXE42112	■	■	■	2,166.15
Spout Flap (Middle)	8100-8500 -MY18, 8100-8600 MY19+	AXE52630	303.29	AXE55603	■	■	■	1,061.61
Spout Flap (end)	8100-8500 -MY18, 8100-8600 MY19+	AXE68374	447.94	AXE68375	■	■	■	1,567.81
Spout Wear Liners w/o HLAB	8100-8500 -MY18, 8100-8600 MY19+	AXE28058	109.19	HXE144912	-	■	■	1,148.30
Accelerator Side Wall Liners	8100-8500 -MY18, 8100-8600 MY19+	HXE115395 HXE115394	162.35 162.35	HXE122283 HXE122307	-	-	■	1,257.09 1,257.09
Front Chute Side Liners LH	8100-8500 -MY18, 8100-8600 MY19+	HXE28379	135.05	HXE59380	-	-	■	429.10
Front Chute Side Liners RH	8100-8500 -MY18, 8100-8600 MY19+	HXE28378	135.05	HXE59388	-	-	■	429.10
Transition Front Liners	8100-8500 -MY18, 8100-8600 MY19+	-	-	AXE59678 AXE59679	-	-	■	1,054.73 1,049.24
Smooth Roll Scraper	8100-8500 -MY18, 8100-8600 MY19+	HXE113274	450.04	HXE78260	■	■	■	1,386.93

Similar parts are available for 8600-8800 SPFH up to MY18 and for 9600-9900 SPFH from MY19

- These parts are already in your machine, if you ordered it with the respective Dura Line™ package. Consider replacing or adding the Dura Line™ parts your ex-factory package does not include to improve wear resistance where you need it. All Dura Line™ parts are available separately.



HEAVY-DUTY KNIVES KIT FOR ROTARY HEADER DRUM

- Our coated blades from Kemper will provide sustained sharpness and last longer.




LCA129668

HEADER TYPE	SET QUANTITY REQUIRED	PART NUMBER	PRICE £
475 ^{plus}	1	LCA129667	635.84
475 ^{plus}	2	LCA129668	1,175.42
460 ^{plus}	2	LCA129668	1,175.42
460 ^{plus} Stalkbuster™	2	LCA129668	1,175.42
490 ^{plus}	3	LCA129668	1,175.42

One kit contains parts for a left and a right big drum, including cleaners and mounting accessories. Knives set also available for 300^{plus} series; ask your dealer for part number and quantities.

TOWER KIT: A PERFECT SOLUTION FOR DOWN CROP OR MOTH CORN

- This kit will facilitate an even crop feed, with less wrapping and less crop accumulation.



LCA128728

HEADER TYPE	SET QUANTITY REQUIRED	PART NUMBER	PRICE £
375 ^{plus} , 390 ^{plus}	2	LCA128728	223.18
375 ^{plus} , 390 ^{plus}	6	LCA114591	8.43

↑ | UPGRADE

CROP TRANSPORTATION: ATTACHMENTS FOR SMALL AND BIG DRUM HEADERS

- Get this kit to boost crop passage, lower plant losses, and improve reversal behaviour.



LCA123897

HEADER TYPE	REQUIRED QUANTITY	PART NUMBER	PRICE £
345 ^{plus}	1	LCA123897*	88.65
360 ^{plus}	2	LCA123897*	88.65
375 ^{plus}	3	LCA123897*	88.65
390 ^{plus}	4	LCA123897*	88.65
345 ^{plus}	1	LCA123899**	73.23
360 ^{plus}	2	LCA123899**	73.23
375 ^{plus}	3	LCA123899**	73.23
390 ^{plus}	4	LCA123899**	73.23
475 ^{plus}	1	LCA123900	75.89
490 ^{plus}	1	LCA123900	75.89

* for headers from SN128923 or with new (round) cob savers

** for headers up to SN128922 or with old (flat) cob savers

HEAVY-DUTY SKID SHOES

- Protects the gearbox twice as long as standard skid shoes.



LCA129733

HEADER TYPE	SET QUANTITY REQUIRED	PART NUMBER	PRICE £
475 ^{plus}	4	LCA129671	123.74
475 ^{plus}	2	LCA129733	158.45
460 ^{plus}	4	LCA129671	123.74
490 ^{plus}	6	LCA129671	123.74

Skid shoes also available for 300^{plus} series, ask your dealer for part number and quantities.



I PREVENT

BALER PARTS AND ATTACHMENTS

Achieve the goals you're working so hard for – use our original parts and attachments to boost your productivity and uptime.

BULK BELTS FOR ROUND BALER

- Priced by the metre, this is the most cost-efficient way to re-belt your John Deere round baler.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
50 m roll bulk belt	5X2 / 8X2 / 8X4	AFH202038	2,221.26
100 m roll bulk belt	5X2 / 8X2 / 8X4	AFH202039	4,420.28

Ask us about our belt fastener tools and parts.



BALER BELTS

- Longer life and best performance: Priced by the metre, Diamond tread baler bulk belts for round balers are the most cost-efficient way to re-belt your John Deere Round Baler.

DESCRIPTION	LENGTH	QUANTITY	SERIES	PART NUMBER	PRICE £
Short	13.07 m	2	592, 854, 862, 864	DC200782	864.68
Long	13.21 m	4	592, 854, 862, 864	DC200783	832.74
Short	10.23 m	2	572, 842	DC45786	696.09
Long	10.42 m	4	572, 842	DC45787	696.09
Short	11.71 m	2	582, 852	DC45784	797.58
Long	11.85 m	4	582, 852	DC45785	761.35
Short	11.45 m	2	854	DC200784	571.10
Long	11.59 m	4	854	DC200785	579.93
Standard	11.65 m	6	V451G, V451M	DC225342	521.31
Standard	12.63 m	6	V461M	DC225343	547.51
Standard	–	2	V451R, 960	CC125212	1,827.38
Standard	–	2	V461R, 990	CC126215	2,153.98


1 | Nylon and polyester fabric for added strength.


2 | Four rubber mats seal the nylon and polyester layers.

3 | Nylon fabric in the centre prevents stretching.

4 | All layers are vulcanised through a special process.

5 | Flat inside layer glides over rollers without heat build-up.






PRE-CUTTER

- Sharp knives minimise stress on your machine, reduce power requirements, and reduce fuel consumption. Because they cut cleanly, they decrease torque loads on drivelines by up to 30% and use up to 10% less fuel.
- We recommend replacing the knives as soon as they have cracks or are broken.
- John Deere Pre-cutter knives are double tempered, for better resistance and high elasticity.

DESCRIPTION	QUANTITY	SERIES	PART NUMBER	PRICE £
Precutter Knives	14 or 25	623, 644, 744	CC131160	41.16
Precutter Knives	14 or 25	854, 864	CC131764	30.78
Precutter Knives	13 or 25	960, 990, C4XXR, F4XXM, F4XXR, V4X1R	CC142889	37.35
Precutter Knives	14	568, 578, 678, 582, 592	CC142889	37.35



ROUND BALER PICK UP TEETH

- Original John Deere pick-up teeth have five coils and guarantee high picking efficiency without damaging other components. Shot-peened to resist bending and breaking, they'll deliver up to 47% longer wear life.

DESCRIPTION	LENGTH	QUANTITY	SERIES	PART NUMBER	PRICE £
Pick-up tooth	1.41 m	36	572, 582, 592	CC32965	3.74
Pick-up tooth	1.81 m	48	572, 582, 592, 842, 852, 862	CC25176	2.85
Pick-up tooth	2.00 m	52	568, 578, 572, 582, 592, 623, 842, 852, 862, 854, 864	CC25176	2.85
Pick-up tooth RH	2.20 m	4	572, 582, 592 (-69999)	CC50764	11.57
Pick-up tooth LH	2.20 m		572, 582, 592 (-69999)	CC50765	11.80
Pick-up tooth	2.20 m	56	572, 582, 592 (-69999)	CC103854	6.17
Pick-up tooth LH	2.20 m	4	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128825	10.75
Pick-up tooth RH	2.20 m	4	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128826	11.09
Pick-up tooth	2.20 m	56	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128802	5.00
Pick-up tooth LH	2.20 m	5	960, 990 (-139999)	CC123738	13.18
Pick-up tooth RH	2.20 m	5	960, 990 (-139999)	CC123739	13.18
Pick-up tooth	2.20 m	70	960, 990 (-139999)	CC123562	6.10
Pick-up tooth	2.20 m	85	960, 990 (140001-), C4XXR, F4XXR, V4X1M	CC123562	6.10
Pick-up tooth	2.00m/2.20m	52/60	F44XM, V451G, V4X1M	CC25176	2.85



LARGE SQUARE BALER PARTS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Set of 15 spare knives for MaxiCut™ HC15	L1533	AFH213928	390.38
Set of 23 spare knives for MaxiCut™ HC23	1424C, 1434C, L1524, L1534, L624, L633, L634	AFH214472	585.15
Knife	1424, 1424C, L1524, L1534, L1624, L1634	FH313972	23.73
Plunger knife	1433, 1433C, 1424, 1424C, 1434, 1434C, L1524, L1534, L624, L633, L634	FH313977	57.52
Plunger knife	1433, 1433C, 1424, 1424C, 1434, 1434C, L1524, L1533, L1534, L624, L633, L634	FH313975	84.44
Counter knife	1424, 1424C, L1534, L1524, L624, L634	FH314176	755.24
Filler plate	1424, 1424C, L1524, L1533, L1534, L624, L634	FH313919	8.43
Pick up teeth	L1433, 1433C, L1524, L1533, L1534, L624, L633, L634	FH324064	4.12
Bill hook (assembly)	L1524, L1533, L1534, L624, L633, L634	AFH212461	98.81
Trigger	L1524, L1533, L1534, L624, L633, L634	AFH212462	44.87

CROP PACKAGING SOLUTIONS

JOHN DEERE XTRANET™ +

- Only John Deere netwrap is designed specifically for your John Deere baler. The XtraNet™+ formula will reliably deliver all-day trouble-free baling.



JOHN DEERE COVEREDGE™

- CoverEdge™ netwrap's unique elasticated edge threads extend the net over the edge of the bale to eliminate shoulders.



JOHN DEERE XTRATWINE™ PLUS

- XTRATWINE™ is our new range of 5 top-quality solutions from the highest density to highest yield and combines the high performance of standard twine with a big increase in pack length. Save money, save time and work more efficiently.



JOHN DEERE XTRAFILM™ STRETCHWRAP

- Clings better, protects better. Now longer. John Deere XtraFilm™ baler wrap guarantees maximum performance backed by a team you trust.



HAY MOISTURE TESTERS

- Above 20% moisture, your hay quality decreases. Use our high-accuracy moisture testers to determine when your hay is ready or to check its quality during or after baling.



WINDROW HAY MOISTURE TESTER – BEFORE BALING

Now test hay before you even start baling with the portable Windrow Hay Moisture Tester from John Deere. You no longer have to make a bale and use a probe-style tester to determine whether your hay is ready.

MCXFA1871
£349.57



HAY MOISTURE TESTER – AFTER BALING

Easily test hay moisture after baling and before barn storage with a handheld probe tester.

MCXFA1872 | 45 cm Probe Pistol-grip Tester (moisture range: 14 to 44%)
£239.39

MCXFA1870 | 50 cm Probe Tester incl. calibration clip (moisture range: 8 to 44%)
£369.97



PREVENT

MOWER CONDITIONER PARTS AND ATTACHMENTS

Find everything to maintain your MoCo like a pro and make sure it delivers the high output and precise conditioning you rely on it for.

JOHN DEERE MOWER CONDITIONER ORIGINAL PARTS

SUPERIOR WEAR AND RUST RESISTANCE

Look-alike varnish protected

Original



Before testing

Before testing



After 20 h in salty fog

After 48 h in salty fog

Look-alike

Original



Grinding process



Before cold forming



After cold forming

CLEAN CUTTING

Designed specifically for our machines, John Deere Mower Conditioner Knives provide:

- Premium cutting and conditioning quality
- Sustained cutting quality
- Optimal wear resistance
- Impact resilience
- Corrosion resistance

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Knife – right hand end	131, 1355, 1365, 1465, 324, 328, 331, 530, 535, 730, 735, 324A, 328A, 381, 388, 488, 630, 635, 830, 835	FH304879	1.31
Knife – left hand end cutterbar	131, 1355, 1365, 1465, 324, 328, 331, 530, 535, 730, 735, 324A, 328A, 381, 388, 488, 630, 635, 830, 835	FH304880	1.31



EXPERT TIP

Made of Boron Steel, these knives are very resistant, in case of impact, they will bend, not break, preventing the forage of any piece of steel, keeping it safe for your livestock.





PREVENT

SEEDER & PLANTER PARTS AND ATTACHMENTS

Many agronomic factors contribute to top yields – but you’ll only get there with well-maintained and upgraded seeder and planter components.

PLANTERS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Tru-Vee opener (3 mm)	Pro Series & MaxEmerge™ Plus Planting Units	AA55927	44.81
Tru-Vee opener (3.5 mm)	Pro Series & MaxEmerge™ Plus Planting Units	AA53860	44.98
Tru-Vee opener (3.5 mm)	Heavy-duty blade with XP double-row bearing retrofit for John Deere ME2 and ME+	AA65457	70.00
3.5 mm heavy duty blade	W/ double-row bearing for XP and EE row-unit	AA65248	56.31
Stud kit for blade retrofit	ME2 and ME+	AA66947	21.71
Knocker assembly	All planters	A53272	24.85
Knocker – sugarbeets/sorghum	All planters	AH129125	28.50
Knocker – ProMax 40	All planters	AA37348	28.52



AA55927



A53272


SEEDERS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Spoked gauge wheel	740A, 750A, 1560, 1590	AA98187	256.11
Wheel, Steel gauge	750A, 1560	AA66599	110.01
Disk colter*	750A, 1590	N283804	57.13
Seed boot, LH	750A, 1590	N284045	58.30
Seed boot, RH	750A, 1590	N284044	58.30
Tru-width™ sweep	740A	N182042	16.40
Seed boot, LH – Extended wear	750A, 1890, 1895	N284025	152.66
Seed boot, RH – Extended wear	750A, 1890, 1895	N284024	152.66

* Do not mix high carbon and boron blades on same drill.



AA98187



N182042



↑ | UPGRADE

SPRAYER PARTS AND ATTACHMENTS

Adapt your sprayer to your needs, conditions, and goals by adding the attachments that will maximise your productivity.

NEW RETROFITTABLE JOYSTICK



AKK41449

This user-friendly joystick can replace your original one for a more comfortable, ergonomic experience.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
For standard selective control valves	M700, M900	AKK41448	1,004.46
For electronic hydraulic valves	M700(i), R900i, M900(i), R900i	AKK41449	1,004.46
Front armrest mounting bracket	M700(i), R700i, M900(i), R900i	BWZ10046	155.80

This new joystick might require an additional harness, or a software update – please ask your dealer for a serial number-based quotation

ADDITIONAL SECTION

Our trailed sprayers can manage up to 15 spray sections. Use our kits to add sections – for example, easily attach 1 m sections at each end of your boom for spraying close to ditches or sensitive crops.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
1 additional section for Pressure Recirculation system	M700(i), R700i, M900(i), R900i	BWZ10001	488.89
1 additional section for TwinSelect™ system	M900i, R900i	BWZ10002	581.09



Our “Do it your way” brochure includes a wider selection of attachments for John Deere sprayers. Scan the QR code to explore.

UPGRADE FOR YOUR AUTOMATIC BOOM CONTROL

For sprayers already equipped with two or three sensors, on booms of 27 meters and wider two additional sensors can be mounted for TerrainControl Pro or TerrainCommand Pro to create two additional measuring points. That's especially beneficial in very uneven fields or for bedded crops in early growth stages. In addition, a four or five sensor system enables the use of TerrainControl Pro or TerrainCommand Pro in symmetric reduced working widths, where the left and right outer sensors are disabled, and the inner left and right sensors are active.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
2 part folded boom	M700(i)	BWZ10010	1,672.26
3 part folded boom	M700(i)	BWZ10070	2,223.19
2 part folded boom	M900(i), R900i	BWZ10012	1,672.26
3 part folded boom: 27/21 m and 28/20 m	M900(i), R900i	BWZ10015	2,388.98
3 part folded boom (all other)	M900(i), R900i	BWZ10069	2,544.99
2 part folded boom: 27/15, 28/15 or 30/15 m	R40 & R41 Series with 40i & 50i sprayers	BWZ10016	3,732.93
2 part folded boom (all other)	R40 & R41 Series with 40i & 50i sprayers	BWZ10017	3,663.88
Carbon fibre boom	R40 & R41 Series with 40i & 50i sprayers	BWZ10018	3,514.89

BREAKAWAY PROTECTION

Protect sprayer nozzles, nozzle bodies and other parts against damages when driving on field borders or during transport next to bushes and trees.


SERIES	PART NUMBER	PRICE £
BASE PROTECTION KIT		
M700(i), R700i	BWZ10079	944.39
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers with steel boom	BWZ10080	988.80
PROTECTION EXTENSION KIT		
M700(i), R700i	BWZ10082	495.91
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers with steel boom	BWZ10083	508.19



STAINLESS STEEL BASKET

Helpful when using a lot of powders or granulate. The stainless steel basket adds a rinse nozzle to dissolve material which was transferred into the basket sieve in the tank lid without being dissolved in the eductor.


SERIES	PART NUMBER	PRICE £
All Series	BWZ10054	1,720.43



STAINLESS EDUCTOR LEVEL GAUGE

Get an accurate read on the plant protection mix present in the eductor.

SERIES	PART NUMBER	PRICE £
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers	BWZ10071	177.26
M700(i), R700i, 5430i	BWZ10072	171.55





↑ | UPGRADE

SPRAY NOZZLES

You've invested in a high-performance sprayer because you're looking for top results. Unlock your machine's full potential by selecting the proper nozzle for the job.



Scan the QR code to visit the spray nozzle web page, where you'll find more information and a spray nozzle brochure download link.



STRAIGHT STREAM CERAMIC

Perfect for reducing scorching when spraying fertilizer.



ULTRA LOW-DRIFT

One of the very few nozzles certified for 90% drift reduction.



GUARDIANAIR TWIN™

The perfect solution for balancing coverage and drift reduction.



ULTRA-LOW DRIFT CERAMIC 120°

Large, air-filled droplets for ideal drift reduction.



LOW-DRIFT AIR CERAMIC 120°

Excellent balance between drift reduction and coverage with the increased strength of ceramic.



GUARDIANAIR TWIN™ CERAMIC 120°

Highly versatile nozzle for outstanding balance between drift reduction and coverage.

For help with the right nozzle and nozzle size choices, please use the Nozzle Select functionality in the John Deere EquipmentPlus app – available for Android, MacOS or iOS devices.



Android



MacOS and iOS



Liquid fertiliser

Herbicides

Plant growth regulators

Fungicides

Insecticides



↑ | UPGRADE

GATOR™ PARTS AND ATTACHMENTS

Whether you use your gator in the field, rough mountain terrain, at the beach or in the forest: you can enhance cab comfort, boost versatility or upgrade your storage capacity with a wide range of attachments. Check them out right here.

CAB COMFORT

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Sport Steering Wheel	XUV835M, XUV865M/R, All XUV500 series	BM23933	288.37
Stereo Mounting Kit (incl. Speakers), requires separate headradio unit	XUV835M, XUV865M/R	BUIC10726	374.08
18" Replacement seat – yellow	HPX, TE, TH, TX, XUV550 (2 and 4 seater), XUV850D (when fitting individual seats)	VLD1836	92.27
Visor Kit (for deluxe cab)	XUV855D/M (2 seaters), XUV825i, HPX	BM21646	79.82
Abrasion-resistant half front windshield	XUV500 series	BM25259	302.79
Rear window kit (for deluxe cab)	XUV855D/M (2 seaters), XUV825i, HPX	BM23505	212.07
Abrasion-resistant Poly Rear Window	XUV800 series (2 seater, MY 2017 and older), all HPX (except MY15)	BM25147	439.95
Rear screen	XUV835M, XUV865M/R	BUIC10281	229.57
Adjustable Driver Seat Kit	T-Series	BM23799	96.74
Lock glove box	XUV500 series (MY 2012 and newer), RSX	BM24200	17.58
Floormat Kit	XUV800 Series (MY 2017 and older), HPX	BM24282	65.73
Floormat Kit	XUV835M, XUV865M/R	BM26462	96.74

Didn't find what you were looking for? The table only shows a small selection of our cab comfort attachment range. Talk to your dealer for more options.



BM25259



BUIC10281



BM26462



BM23933



PERFORMANCE

CARGO BOX STORAGE OPTIONS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Cargo Box Bed Mat	All XUV800 series, HPX815E (MY18+)	BM22772	125.06
Cargo Box Power Lift	HPX815E	BUC10773	716.07
Cargo Box Power Lift	XUV590, XUV590 S4, XUV550 S4	BM24812	785.54
Cargo Box Power Lift	All XUV800 series, HPX (-MY2017)	BUC10772	1,101.59
Remote Cargo Box Release Kit	All HPX	VGB10507	115.20
Cargo Box Bedliner	HPX (-MY17)	BM25049	290.19
Cargo Bed Extender	XUV865M/R, XUV835M, HPX815E	BM25700	340.37
Cargo Box Divider	All XUV800 series	BM22769	245.04
Cargo Box Rails	All XUV500 series	BM23526	130.87
Cargo Box Wall Extension Kit	XUV800 series & HPX815E (MY18+)	BM24901	485.00
Cargo Box Wall Extension Kit	All XUV500 series	BM23384	424.36
Side Tool Rack	All XUV800 series	BM22775	419.19
18.9271 L (5 gal) Pail Holder	All XUVs	BM23849	41.84
Side Storage Box	All HPX	BM22776	280.16



BM24812



BM25700



BM22769



BM23526



BM22772



EXPERT TIP

Use our cargo box storage options to prevent your load from sliding around and stay organised when the terrain gets bumpy.



BM22775



BM23849



BM22776

NEW: PREDATOR TYRES

Our heavy-duty Predator all-terrain radial tyres are an excellent choice if you often find yourself working on hard surfaces or in intermediate off-road applications, which call for exceptionally durable and long-lasting tyres.

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Predator Front Tyre (27 x 9-14, 8 Ply)	XUV800	UC28463	280.89
Predator Rear Tyre (27 x 11-14, 8 Ply)	XUV800	UC28465	306.74



UC28463



UC28465



PROTECTION

GUARDS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
BRUSHGUARDS			
Brushguard	XUV835M, XUV865M, XUV865R	BUC10679	412.73
Brushguard Extensions	XUV835M, XUV865M, XUV865R	BUC10141	119.91
Brushguard	All XUV560, All XUV590/S4, XUV550	BM23365	437.26
Heavy Duty Brushguard	All XUV855M/D incl S4, All XUV825i, HPX815E	BM22841	221.81
CVS			
CV Guards Front & Rear	XUV835M, XUV865M, XUV865R	BUC10761	283.73
CV Guards Rear	All XUV855M/D incl S4, All XUV825i	BUC10605	139.27
CV Guards Front	All XUV855M/D incl S4, All XUV825i	BUC10978	141.38



BUC10679



BUC10141



BUC10761



BM23365



BM22841

HITCHES AND DRAWBARS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Drawbar – 51 mm (2 in.)	All XUV and HPX (besides XUV835M & XUV865M)	BM22290	28.30
Drawbar, 1.25 in. (38 mm)	All HPX (besides HPX815E)	BM23989	21.87
Hitch Ball 50 mm	XUV550/S4, XUV560E, XUV590M/ S4, XUV825i/S4, XUV855D/S4	BUC10618	315.80
Hitch Rear (Homologated for use on public roads)	All XUV560, All XUV590/S4, XUV550, HPX815E	BUC10886	202.75



BM22290



BM23989



BUC10618



BUC10886

DESCRIPTION	SERIES	PART NUMBER	PRICE £
STORAGE AND RACKS			
Front Hood Rack	XUV835M & XUV865M, XUV865R	BM26109	270.84
Front Hood Rack	XUV855M/S4, HPX815E, All XUV825i, All XUV855D/S4	BM22980	319.87
Underhood storage tub with removable tool tray	XUV835M & XUV865M, XUV865R	BUC10167	295.35
WINCHES			
Winch Accessories Kit	All XUV and HPX	BM21392	167.54
Winch Remote Wireless	All XUV and HPX	BM26662	438.54
WARN ProVantage 2,041 kg (4,500 lb) Winch	XUV835M & XUV865M, XUV865R, XUV855M S4 + MY17 XUV855D S4	BUC10682	914.55



BM26109



BUC10167



BM26662



BUC10682



FENDERS

DESCRIPTION	SERIES	PART NUMBER	PRICE £
Fender Guard Heavy-Duty	XUV855M/S4, HPX815E	BM22987	221.81
Fender Guard Heavy-Duty	All HPX (besides HPX815E)	BM22618	208.95
Fender Guard Heavy-Duty	All XUV855D incl S4, All XUV825i	BM22987	221.81
Fender Guards Cargo Box	XUV835M, XUV865M, XUV865R	BUC11320	257.13
Fender Guards Cargo Box	All XUV855M/D incl S4, All XUV825i	BM22811	212.79
Fender Guards Front	XUV835M, XUV865M, XUV865R	BUC10247	283.73
Fender Guards Front	All XUV560, All XUV590/S4, XUV550	BM23394	256.65
Rear Bumper	XUV835M, XUV865M, XUV865R, All XUV855M/D incl S4, All XUV825i	BM22767	187.00
Rear Bumper	All XUV560, All XUV590/S4, XUV550	BM23362	188.29



BM22767, BUC11320



BM23394



BM23362



BM22811

PREVENT

HOME MAINTENANCE KITS

Regular maintenance is vital for ensuring that your gator keeps running great at installed capacity levels and delivers the performance it is designed for. It can also prevent severe damage to your machine. Figuring out exactly which parts you need for proper maintenance has never been easier: They're now all in one box, in our Home Maintenance Kits.

SERIES	PART NUMBER	PRICE £
XUV835M	AUC18091	78.66
XUV590i/M (incl. S4)	AUC17127	104.95
XUV825i (incl. S4)	AUC17130	81.22
XUV550 (incl. S4), XUV560/E	AUC17128	78.59
850D, 855D (incl. S4), HPX (040001 -), HPX815E, TH6x4 D, XUV855M (incl. S4), XUV865M/R	AUC18087	78.45
TS 4x2 (-010210, 100001-), TX, TX Turf	AUC17126	56.10
CX, TS 4x2 (010211-100000)	AUC17131	47.44



AUC18087



EXPERT TIP

PREVENT DOWNTIME

Regular preventive maintenance helps to keep your machine healthy and prevents unnecessary damage and downtime.



↑ | UPGRADE

ACCESSORIES

Discover our wide selection of accessories to make your work easier and safer.

UNIVERSAL RADIOS

CANBUS FRIENDLY DAB+ RADIO WITH BLUETOOTH, AUX IN AND USB

Enjoy high-quality DAB audio, as well as AM, FM (incl. RDS) radio using a John Deere factory-fitted AM/FM antenna – no need to install an additional DAB antenna. Both JVC radio packages also feature Bluetooth® wireless connectivity, allowing you to connect two phones full-time for high-quality music streaming from iPhone®/iPod® or Android™ devices. Additionally, both models have a front USB 2.0 connection with 1.5A rapid charging for your smartphones.

These radio packages are approved for use on John Deere 6R, 7R, 8R and 9R tractor model series fitted with CommandARM™ soft-touch and Gen4 CommandCenter™ touch screen control.



VLC5802

DESCRIPTION	PART NUMBER	PRICE £
CanBus friendly DAB+ CD Radio with Bluetooth, AUX in and USB	VLC5802	433.36
CanBus friendly DAB+ Radio with Bluetooth, AUX in and USB	VLC5801	363.64



DMR BLUETOOTH RADIO WITH SPOTIFY & ALEXA

Enjoy all your favourite music from a Digital Media Receiver BT radio, ideal for cabs with limited space. It's Amazon Alexa compatible and offers Bluetooth connectivity for voice dialling and hands-free calling and streaming, including Spotify Control. Connect two iOS or Android phones simultaneously and up to 5 Bluetooth music devices to be individually selected at any time. The receiver features a 1.5A USB charging port for your mobile devices and has a 13-band equalizer for superior sound the way you prefer it.

SERIES	PART NUMBER	PRICE £
All Series	MCXFA2800	97.88



CD BLUETOOTH RADIO WITH SPOTIFY

Enjoy listening to your CDs? Then this radio is for you! Of course, you also get Bluetooth for voice-dialling and hands-free calling and streaming, including Spotify. Connect two iOS or Android phones simultaneously and up to 5 Bluetooth music devices to be individually selected at any time. The receiver features a 1.5A USB charging port for your mobile devices and has a 13-band equalizer for superior sound the way you prefer it.

SERIES	PART NUMBER	PRICE £
All Series	MCXFA2801	124.94



DMR BLUETOOTH DAB+ RADIO WITH SPOTIFY & ALEXA

Is Alexa your interface to much of what goes on in your day? This model comes Alexa App ready, so all you need to do is pair the Amazon Alexa app on your smartphone with the radio, and you're ready to ask Alexa for the latest traffic information, weather report, add or hear reminders and use other Alexa features. If you have compatible smart devices in your home like Hive, lighting and smart doors, you can ask Alexa to turn on the heating, the lights or ask it to open the garage door. Of course, this radio also has Bluetooth hands-free calling and music streaming, is Spotify app-ready and has a DAB+ tuner built-in.

CD BLUETOOTH DAB+ RADIO WITH SPOTIFY & ALEXA

This one has got it all: A CD Receiver with an integrated DAB+ tuner for crystal clear digital radio and Bluetooth technology for hands-free calling and wireless music streaming from two iOS or Android devices. It's ready for your Alexa, Spotify, and JVC Remote Apps and features a large, easy-to-read LCD and green colour key illumination for comfortable operation. A powerful 50 x 4-watt amplifier will boost your system's power output and deliver superior sound quality with full digital sound processing and time alignment along with a 13 band Graphic Equalizer.

SERIES	PART NUMBER	PRICE £
All Series	MCXFA2802	156.18

SERIES	PART NUMBER	PRICE £
All Series	MCXFA2803	187.42

RADIO ACCESSORIES

DESCRIPTION	PART NUMBER	PRICE £
Metal spring audio antenna	MCXFA1884	24.79
Aerial extension cable*	MCXFA1886	4.05
Dipole antenna	MCXFA1885	16.82
DAB windscreen antenna	MCXFA1103	85.50
DAB antenna splitter	MCXFA1104	57.05
Radio connector	MCXFA1114	6.17

*Valid while stocks last



MCXFA1884



MCXFA1886



MCXFA1885

EXPERT TIP

Sound quality and radio reception not quite where you'd like them to be? That's often easily remedied with additional speakers and a better antenna, maybe even a DAB+ antenna for digital radio reception.

OBSERVATION SYSTEMS

Our heavy-duty observation systems let you monitor operations accurately for increased efficiency.

Our customised, easy to install, modular camera kits for 6R, 7R, 8R, 9R tractors as well as combines and forage harvesters include camera, extension cable and connection or adapter cable. They're compatible with the Generation 4 CommandCenter™, the GreenStar3 Display CommandCenter™ Touch and the GreenStar3 2630 Display.*



* Please contact your dealer for further details.



VEHICLE IMMOBILISER

GET TOTAL TRACTOR THEFT PROTECTION!

The vehicle immobilizer is a robust and secure e-keypad system that provides ultimate security even if the keys are left in the ignition! Quick to install and easy to use, the system uses state-of-the-art DD2+ technology and features wireless keypad operation and multiple driver access with up to 6 unique PIN codes (5 user codes and 1 master code). The keypad has LED status indicators and backlighting for excellent visibility in the dark, includes a keypad override disc for total control, and features two separate wireless blockers for double the protection.



VLC5501
£332.33



PORTABLE 12V MINI-FRIDGE

Ideal for use in tractor, combine or other machine cabs and vehicles. Suitable for bottles, cans and food containers. Dual cool / heating modes, perfect for keeping food cool in summer and warm when needed.

DESCRIPTION	PART NUMBER	PRICE £
Portable 12v mini-fridge	MCXFA2351	48.26

WIPER BLADES

Moulded from 100% natural rubber for low-noise and judder-free wiping in a versatile full-metal frame with multi-fit adaptors included.



DESCRIPTION	PART NUMBER	PRICE £
Wiper blade 460 mm (18")	MCXFA1754	4.74
Wiper blade 510 mm (20")	MCXFA1756	5.77
Wiper blade 530 mm (21")	MCXFA1757	6.01
Wiper blade 560 mm (22")	MCXFA1758	7.09
Wiper blade 610 mm (24")	MCXFA1759	8.12

TORCHES AND ACCESSORIES

DESCRIPTION	PART NUMBER	PRICE £
LED Inspection Light*	MCXFA1807	33.41
LED Combination Pack. Includes head lamp and LED key ring torch	MCXFA1805	13.57
LED Key ring torch	MCXFA1800	4.65

*Valid while stocks last



BEACON LIGHTS

These lights create the extra attention to ensure that others on the road are well aware of you and the large implements behind you.

DESCRIPTION	PART NUMBER	PRICE £
Original beacon light	AZ101891	72.35
Flexi mount beacon	MCXFA1571	39.38
Compact flexi mount beacon	MCXFA1572	32.59
Flexi globe beacon	MCXFA1574	44.45
Magnetic base beacon	MCXFA1570	40.61
LED amber warning dual beacon. Magnetic	MCXFA1937	168.37
LED amber warning dual beacon. Bolt mounted	MCXFA1938	97.11
Ultra slim LED warning beacon. Magnetic	MCXFA1939	36.21
Ultra slim LED warning beacon. DIN mounted.	MCXFA1940	42.48
LED 595 mm long magnetic mounted low-profile amber warning beacon	MCXFA1941	144.69
LED 595 mm long bolt mounted low profile amber warning beacon	MCXFA1942	144.69
LED 310 mm long magnetic mounted low-profile amber warning beacon	MCXFA1943	83.55
LED 310 mm long bolt mounted low profile amber warning beacon	MCXFA1944	83.55



UNIVERSAL LED LIGHT BARS

DESCRIPTION	PATTERN	EFF. LUMENS	PART NUMBER	PRICE £
335 mm	Flood	4,800	MCXFA1980	30.46
615 mm	Flood	10,800	MCXFA1981	35.88
865 mm	Flood	16,200	MCXFA1982	43.80
543 mm	Combo	8,800	MCXFA1983	105.68
Installation Kit	-	-	MCXFA1984	21.81



LIGHT BULBS

DESCRIPTION	PART NUMBER	PRICE £
Light bulb – 12v 21/5w OSP BAY15d	MCXFA1009	1.09
Light bulb – 12v 21w SCC BA15s	MCXFA1010	1.05
Halogen headlamp – 12v 55w H1 P14.5s	MCXFA1012	2.00
Halogen headlamp – 12v 55w H3 PK22s	MCXFA1013	1.72
Halogen headlamp – 12v 60/55w H4 P43t	MCXFA1014	2.61
Halogen headlamp – 12v 55w H7 PX26d	MCXFA1015	3.17
Halogen headlamp – 12v 50w PG13J	MCXFA1017	6.96



LED BULBS



DESCRIPTION	FUNCTION	PART NUMBER	PRICE £
LED Bulb: Eq to 180. Cap type W2.5x16q. 600 Lumen	Stop and Tail	MCXFA2450	13.25
LED Bulb: Eq to 453. Cap type PK22S. 1,000 Lumen	Headlamp	MCXFA2462	32.63
LED Bulb: Eq to 380. Cap type BAY15D. 600 Lumen	Stop and Tail	MCXFA2455	30.65
LED Bulb: Eq to 472. Cap type P42T. 750 Lumen	Headlamp	MCXFA2463	58.41
LED Bulb: Eq to 885. Cap type PG13. 1,000 Lumen	Worklamp	MCXFA2456	25.68
LED Bulb: Eq to 448. Cap type P14.5S. 1,000 Lumen	Headlamp	MCXFA2459	16.49
LED Bulb: Eq to 207/245/382. Cap type BA15S. 600 Lumen	Stop and Tail	MCXFA2454	15.29
LED Bulb: Eq to 886. Cap type PGJ13. 1,000 Lumen	Headlamp	MCXFA2457	33.10
LED Bulb: Eq to 410. Cap type P45T. 1,000 Lumen	Headlamp	MCXFA2458	29.08
LED Bulb: Eq to 709. Cap type PGJ19-5. 1,000 Lumen	Headlamp	MCXFA2465	27.63
LED Bulb: Eq to 209. Cap type BA15D. 600 Lumen	Stop and Tail	MCXFA2453	10.79
LED Bulb: Eq to 894. Cap type PGJ13. 1,000 Lumen	Headlamp	MCXFA2466	17.83

LED bulbs are currently not approved for road use.



UNIVERSAL MOUNTING SOLUTIONS

MOUNTING BRACKETS FOR MOST MACHINES

DESCRIPTION	PART NUMBER	PRICE £
WITH TWIST-LOCK SUCTION CUP		
X-Grip mobile holder	BXE10606	92.90
X-Grip tablet holder	BXE10607	179.27
WITH SCREW PLUG FOR BRACKETS OR THREADS		
X-Grip mobile holder	BRE10015	64.83
Tablet holder	BRE10255	80.46
X-Grip tablet holder	BXE10479	141.45
WITH CLAMP FOR BRACKETS BRE10574, BRE10575, R558980		
X-Grip tablet holder	BXE10864	231.01



BXE10606



BXE10607



BRE10015



BRE10255



BXE10479



BXE10864

BUILD YOUR OWN MOUNTING BRACKET

DESCRIPTION	PART NUMBER	PRICE £		
Clamps	2.54 cm	Length 13.34 cm	RE561251	46.66
Clamps	2.54 cm	Length 7.62 cm	RE558819	28.78
Clamps	3.81 cm	Length 11.76 cm	PF80459	20.72
Ball mounts with plates	3.81 cm	Mount for GreenStar™ GS2/GS3	PF11019	94.38
Ball mounts with plates	3.81 cm	Rectangular mounting plate for GreenStar™ GS4240 and GS4640	UC17356	94.38
Ball mounts with plates	2.54 cm	Diamond mount	R540530	13.69
Ball mounts with U-bolts	3.81 cm	Single U-bolt	PF80460	15.05
Ball mounts with U-bolts	3.81 cm	Double U-bolt	PF19197	95.87
Holder	2.54 cm	X-Grip mobile phone mount	RE558822	89.94
Holder	No ball	Tablet mount assembly	RE561252	78.36
Assembled parts	Clamp (7.62 cm)	with ball (3.81 cm) on round mounting plate	RE574454	72.53
Assembled parts	Clamp (6.35 cm)	with ball (3.81 cm) on rectangular mounting plate (UC17356)	AL212683	111.67

ADDITIONAL PARTS FOR MOUNTING BRACKETS

DESCRIPTION	PART NUMBER	PRICE £
FOR BRACKETS BRE10574, BRE10575, R558980		
2.54 cm T-slot ball mount	BRE10482	23.81
3.81 cm T-slot ball mount	BRE10483	31.76
Harness managing hook	R562310	5.85
Clamp for connecting AL212683, RE574454 with the brackets	AXE59372	133.84
FOR 10 MM THREADS AND BRACKETS WITH HORIZONTAL SLOT ORIENTATION		
2.54 cm ball	RE558821	27.87
3.81 cm ball	RE576490	43.16
Knob for mounting balls to brackets	RE343685	10.72



BRE10482



R562310



AXE59372



RE558821



RE343685



PREVENT

MAINTENANCE PARTS

BATTERIES



APPLICATIONS

STRONGBOX™ BATTERIES (SELECTION)

When reliable performance is crucial, StrongBox™ batteries are your only choice. Get superior performance for all makes of heavy and light duty equipment, and in environments ranging from golf courses to heavy-duty off-road work situations.*



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility vehicles, riding mowers	GR51	50	500	236/126/219	MCYP25876
Compact utility tractors, utility vehicles, riding mowers	GR45	47	465	239/139/222	MCYP25881



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Combines	GR27	75	610	323/174/220	MCYP25272
Combine, Tractors	GR31	95	950	330/175/238	MCYP36879B



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Compact utility tractors, Large Tractors	GR31	105	800	330/172/238	MCYP25879
Combines, Mid Tractors	GR31	95	900	330/172/238	AXE66451



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Older Utility Tractors	H5 / LN2	55	480	247/175/190	AL203836
Older Utility Tractors	H6 / LN3	70	570	278/175/190	AL203837
Utility Tractors, Combines, SPFH	H8 / LN5	88	680	353/175/190	AL203838
Utility and Mid Tractors	H9 / LN6	110	850	394/175/190	AL175868



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Compact utility tractors	22NF	47	465	240/140/227	MCYP26498
Utility and Mid Tractors not for iT4 Engines, Combines	D	110	850	413/175/220	AL205731
Utility and Mid Tractors iT4 Engines	A	154	1,150	513/189/223	AL203839
Mid Tractors, Combines, SPFH, Sprayer	B	174	1,400	513/223/223	AL203840
Construction Equipment	4DM	210	1,300	530/210/244	MCYP23020

* All batteries are 12V and already factory-activated, ready to install. Ask your John Deere dealer about their latest offers.



PERFORMANCE BATTERIES (SELECTION)

The John Deere Performance Line of batteries is a great lower-cost alternative when you don't need the premium features of StrongBox™ Batteries. They are perfect for on-road and off-road vehicles. All Performance Batteries are wet.*

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Tractors, construction equipment	D	100	600	413/175/220	MCYP600PF
Mid Tractors, Large Tractors	A	155	900	513/189/223	MCYP900PF
Large Tractors, Construction	B	180	1,000	513/223/223	MCYP1000PF

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility tractors	GB28	100	800	313/175/210	MCYP800PFLH4
Sprayer, CUT	GR34	60	680	278/174/198	MCYP700PF

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Mid Tractors	LOT7	110	680	347/173/234	MCYP680PF

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Mid tractors, construction equipment	MAC110	110	760	514/175/210	MCYP760PF

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility tractors	H5 / LN2	60	640	242/175/190	MCYP640PF
Tractors, automotive	H6 / LN3	70	720	278/175/190	MCYP720PF

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility vehicles, riding mowers	U1R	22	340	196/131/183	MCYP340PF
Turf equipemnt	12N24-4	24	200	186/125/177	MCYP200PF

BATTERY ACCESSORIES

DESCRIPTION	PART NUMBER	PRICE £
Booster cable clip set 400A	MCXFA1206	14.93
Battery booster clamps 600A	MCXFA1657**	23.31
Booster cable set 600A 3.5 m	MCXFA1207**	44.63
Booster cable set 600A 5 m	MCXFA1208	58.05



APPLICATIONS



* All batteries are 12V and already factory-activated, ready to install. Ask your John Deere dealer about their latest offers.

** Valid while stocks last



Looking for hand tools?
Scan this code to see the
entire catalogue!

LUBRICANTS

Formulated for off-road machinery, our lubricants bring out the best in your machines – better performance, lower costs and longer life.

ENGINE OIL – PLUS-50™ II

Premium engine oil, full fleet solution, also for low emission engines. John Deere exclusive formulation, developed for most severe demands and extreme operating temperatures. Allows extended drain intervals up to 750 hours*.



DESCRIPTION	SIZE	PART NUMBER
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	200/209 L	VC50002x200
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	50/55 L*	VC50002x050
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	VC50002x020
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	5 L	VC50002x005
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	209 L	VC50005x200
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	VC50005x020
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	5 L	VC50005-005
Plus-50™ II 0W40, ACEA E9/E7, API CK-4/CJ-4/SN	200 L	MCTY26667200
Plus-50™ II 0W40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	MCTY26667

ENGINE OIL – TORQ-GARD™

Standard-interval engine oil designed to control sludge and reduce corrosion in diesel engines up to stage IIIA.



DESCRIPTION	SIZE	PART NUMBER
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	1,000 L*	VC83070-1000
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	200/209 L	VC83070-200
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	50/55 L*	VC83070-050
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	20 L	VC83070-020
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	5 L*	VC83070-005

* Available in certain countries only. Oils, coolants and greases are subject to price fluctuations. Please ask your John Deere Dealer about the latest offers.



ENGINE OIL – TURF-GARD™

Recommended for all 4-cycle petrol engines used in lawn and garden tractors, walk-behinds, commercial mowers, and other outdoor powered equipment.

DESCRIPTION	SIZE	PART NUMBER
Turf-Gard™ 5w30, API SP, SN, SM, ILSAC GF-6A	1 L	MCTY25121



TRANSMISSION HYDRAULIC OIL – HY-GARD™

Peace of mind protection: exclusive John Deere high pressure formulation with proper viscosity over a wide range of temperatures. Hy-Gard™ exceeds JDM J20C/D specification and must pass John Deere RES10060 factory tests.

DESCRIPTION	SIZE	PART NUMBER
Hy-Gard™	1,000 L*	VC81824-1000
Hy-Gard™	200/209 L	VC81824-200
Hy-Gard™	50/55 L*	VC81824-050
Hy-Gard™	20 L	VC81824-020
Hy-Gard™	5 L	VC81824-005
Hy-Gard™ Low Viscosity	20 L*	VC81817-020
Bio Hy-Gard™ II	200 L	MCYU70643200
Bio Hy-Gard™ II	20 L	YU70643-020



GEAR OIL – EXTREME-GARD™

High pressure tractor transmission oil for the effective lubrication of mechanical transmissions and gear boxes.

DESCRIPTION	SIZE	PART NUMBER
Extreme-Gard™ 80w90, API GL-5	20 L	VC82610x020
Extreme-Gard™ 80w90, API GL-5	1 L	VC82610x001
Extreme-Gard™ 85w140, API GL-5	20 L	VC82609-020
Extreme-Gard™ LS 90 for limited-slip differentials	5 L	VC87939-005
Extreme-Gard™ LS 90 for limited-slip differentials	20 L	VC87939-020



COOLANT – COOL-GARD™ II

Unique premium John Deere Coolant ready-to-use 50/50 premix, perfect for all your equipment and also for pumps, generators, compressors and on-road vehicles. Extended drain intervals up to 6 years/6,000 hours for lower cost of operation.

DESCRIPTION	SIZE	PART NUMBER
Cool-Gard™ II	1,000 L*	YU76215-1000
Cool-Gard™ II	200 L	VC76215-200
Cool-Gard™ II	20 L	VC76215-020
Cool-Gard™ II	5 L	VC76215-005



* Available in certain countries only. Oils, coolants and greases are subject to price fluctuations. Please ask your John Deere Dealer about the latest offers.



GREASES

Do you want to learn more about the health status of your equipment? Ask your dealer about a professional John Deere fluid analysis to uncover issues before they stop you.

Our grease is formulated for tough off-road and on-road conditions. It's ideal for tractors, harvesters, and turf machinery too. It protects your bearings, drive shafts and all other moving parts that require grease.

MULTI-PURPOSE GREASES

SD Polyurea is our top of the line all-season SD Polyurea general-purpose grease for most of your equipment, including central lubrication systems. Grease-Gard™ Premium Plus an economical lithium complex grease to streamline your operational costs.



DESCRIPTION	SIZE	PART NUMBER
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	400 g	VC65723-004
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	400 g Lube-Shuttle®	YU82712-004
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	18 kg	VC65723-020
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	400 g	VC67009-004
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	400 g Lube-Shuttle®	YU82713-004
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	18 kg	VC67009-020
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	180 g	VC67009-180
SD Polyurea Grease – NLGI 2, ISO L-X-CEHB 2	400g	MCYU6341-004

GREASE ACCESSORIES

Solid and tough grease guns designed for the workshop, agricultural, or industrial applications – available for standard pull-off cartridges (DIN1284) and Lube-Shuttle® Screw Cartridges.



DESCRIPTION	PART NUMBER	PRICE £
One hand ergonomic Grease Gun, with zinc plated barrel for standard 400 g cartridges	MC3212131	36.87
One hand ergonomic Grease Gun, with zinc plated barrel for Lube-Shuttle® cartridges	MC3026110	36.06
Manual grease gun with rigid tube for 400 g standard cartridges	MC3042134	29.29
Hydraulic safety coupler M10x1 – Safelock	MC3245504	21.16
Hydraulic safety coupler R1/8" – Safelock	MC3245603	21.16

Oils, coolants and greases are subject to price fluctuations. Please ask your John Deere Dealer about the latest offers.

* Lube-Shuttle® is a registered trademark of MATO.

FUEL ADDITIVES AND OTHER FLUIDS

FUEL CONDITIONERS FOR DIESEL ENGINES

Fuel Protect prevents fuel system damage from contaminated fuel. You'll notice smoother starting, improved water tolerance and less exhaust smoke.



DESCRIPTION	SIZE	PART NUMBER
Fuel Conditioner for diesel engines, All-season Formula	1 L	MCBF26701
Fuel Conditioner for diesel engines, All-season Formula	20 L	MCBF26720



NOTES

A series of horizontal dotted lines spanning the width of the page, intended for writing notes.

JOHNDEERE.COM

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories not available in all regions. Please contact your local dealer for details. John Deere reserves the right to change specification and design of products described in this literature without notice. The green and yellow colour scheme, the leaping deer logo and the JOHN DEERE word mark are trademarks of Deere & Company.

We are sending you this information/marketing material because we assume you are interested in receiving it. To manage our customer marketing database and to support our campaigns, we use John Deere and other carefully selected service providers who act on our behalf and strictly upon our instructions as its data processors and with whom we have in place respective data protection agreements to protect your personal data as required by law. To request a copy of the personal data we hold about you, to ask us to correct or remove information you believe is inaccurate, **to opt out from receiving the mailings and ask for deletion of your data**, or to exercise other rights available to you, please contact your dealer.



SERVICES TO KEEP YOU RUNNING



EXPERT CHECK – OUR EXPERTISE, YOUR UPTIME

Maximum equipment uptime, higher performance at a lower cost of operation. Book an Expert Check.



JOHN DEERE CONNECTED SUPPORT™ – MAXIMUM UPTIME AND PERFORMANCE

Get connected to ensure that your machines are available at peak performance all season long.



POWERCARD™ – STATUS: PROTECTED

Augment the other services featured here and protect the components that put power to the ground.



FARMSIGHT™ SERVICES – PROACTIVE SUPPORT

Your dealer can help you optimise machines and operations for total productivity and higher profits.